US00D946573S

(12) United States Design Patent

Vachon et al.

(10) Patent No.: US D946,573 S
(45) Date of Patent: ** Mar. 22, 2022

(54) **AUTHENTICATION DEVICE INCLUDING FINGERPRINT SENSOR**

(71) Applicant: **Bloomberg Finance L.P.**, New York, NY (US)

(72) Inventors: **Philippe Paris Vachon**, Greenwich, CT (US); **Udai Mathur**, Jersey City, NJ (US); **Joel Even**, White Plains, NY (US); **Sean Roarty**, New York, NY (US)

(73) Assignee: **BLOOMBERG FINANCE L.P.**, New York, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/760,856**

(22) Filed: **Dec. 4, 2020**

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/384**

(58) **Field of Classification Search**
USPC D14/300–302, 313, 314, 341, 348–370, D14/383, 385, 432, 436, 496, 125, 135, D14/134, 155, 167, 168, 230, 231, 233, D14/235, 237, 240–242, 299; D10/65, D10/75, 78; D13/103, 149, 162, 184, D13/199; D18/4.4–4.6, 12.1, 56; 361/679.31–679.45, 752; 711/100, 115; 382/115, 124; 356/71; 235/380, 461, 235/382, 472.01, 472.02; D3/201, 273
CPC G06K 9/00006; G06K 7/0013; G06K 9/00026; G06F 21/00; G06Q 30/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D429,725	S	*	8/2000	Morimiya	D14/384
D466,119	S	*	11/2002	Funahashi	D14/384
D514,105	S	*	1/2006	Ohta	D14/384
D516,069	S	*	2/2006	Kuroda	D14/384
D522,510	S	*	6/2006	Su	D14/384
D535,992	S		1/2007	Ozolins et al.	
D574,850	S		8/2008	Zimman et al.	
D593,559	S	*	6/2009	Lin	D14/384
D718,307	S		11/2014	Ozolins et al.	
D750,096	S		2/2016	Ozolins et al.	
D760,710	S		7/2016	Ozolins et al.	
D761,240	S		7/2016	Ozolins et al.	
D786,355	S	*	5/2017	Hendrick	D19/9
D788,847	S	*	6/2017	Hendrick	D19/9
D825,562	S	*	8/2018	Segal	D14/384
D883,981	S	*	5/2020	Zhan	D14/384
D890,177	S	*	7/2020	Mikami	D14/384
D890,753	S	*	7/2020	Iasso	D14/384

* cited by examiner

Primary Examiner — Austin Murphy
(74) *Attorney, Agent, or Firm* — Chiesa Shahinian & Giantomasi PC

(57) **CLAIM**

The ornamental design for an authentication device including fingerprint sensor, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of an authentication device including fingerprint sensor according to our design;
FIG. **2** is a front view thereof;
FIG. **3** is a rear view thereof;
FIG. **4** is a right-side view thereof;
FIG. **5** is a left-side view thereof;
FIG. **6** is a top view thereof; and,
FIG. **7** is a bottom view thereof.
The broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 4 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6

FIG. 7