



US00D947010S

(12) **United States Design Patent**
Lv

(10) **Patent No.:** US D947,010 S
(45) **Date of Patent:** ** Mar. 29, 2022

- (54) **CABLE CLIPS**
- (71) Applicant: **Hualin Lv**, Jiujiang (CN)
- (72) Inventor: **Hualin Lv**, Jiujiang (CN)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/779,275**
- (22) Filed: **Apr. 19, 2021**
- (51) **LOC (13) Cl.** **09-06**
- (52) **U.S. Cl.**
USPC **D8/356**
- (58) **Field of Classification Search**
USPC D8/356, 354; D13/155
CPC B65H 57/16; B63B 21/045; A61M 5/1418
See application file for complete search history.

- 6,415,932 B1 * 7/2002 Fiscus A47B 81/005
211/60.1
- 6,458,104 B2 * 10/2002 Gautsche A61M 5/1418
128/DIG. 26
- D485,161 S * 1/2004 Hutchinson D8/383
- D488,054 S * 4/2004 Myers D8/356
- D598,855 S 8/2009 Stromiedel et al.
- D598,857 S 8/2009 Stromiedel et al.
- D598,858 S 8/2009 Stromiedel et al.
- D619,435 S * 7/2010 Navas D8/27
- D638,690 S * 5/2011 Hoek D8/356
- D638,691 S * 5/2011 Hoek D8/356
- D638,692 S * 5/2011 Hoek D8/356
- D640,527 S * 6/2011 Hoek D8/356
- D691,878 S * 10/2013 Ganski D8/356
- 8,900,196 B2 * 12/2014 Andino A61M 5/1418
604/174
- D852,354 S * 6/2019 Wrangmark D24/128

(Continued)

Primary Examiner — Cynthia R Underwood

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 3,199,246 A * 8/1965 Fischer A63H 33/06
446/108
- 3,528,192 A * 9/1970 Meates A63H 33/086
446/113
- 4,244,544 A * 1/1981 Kornat F16L 3/13
248/68.1
- D272,785 S * 2/1984 Rumbaugh D6/552
- D272,787 S * 2/1984 Rumbaugh D6/552
- D285,948 S * 9/1986 Mazzoleni D21/486
- D304,212 S * 10/1989 Moe D21/486
- D304,353 S * 10/1989 Moe D21/486
- 4,971,271 A * 11/1990 Sularz A61M 5/1418
248/229.13
- 5,316,246 A * 5/1994 Scott A61M 5/1418
248/68.1
- D404,580 S * 1/1999 Hasler D6/320
- D415,530 S * 10/1999 Ridder D19/77
- 5,992,802 A * 11/1999 Campbell H02G 3/30
248/68.1
- 6,227,502 B1 * 5/2001 Derman F16L 3/2235
248/68.1
- D459,977 S * 7/2002 Byrnes D8/357

(57) **CLAIM**


The ornamental design for a cable clips, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a cable clips showing my new design;
 FIG. 2 is a second perspective view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a back view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a right side view thereof;
 FIG. 7 is a top view of thereof; and,
 FIG. 8 is a bottom view thereof.

The broken lines shown in the drawings depict portions of the cable clips in which the design is embodied that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D877,899	S *	3/2020	Shepherd	D24/128
D885,869	S *	6/2020	Moldvaer	D8/356
D886,470	S *	6/2020	Norkova	D6/315
D907,988	S *	1/2021	Yu	D8/356
D909,188	S *	2/2021	Kou	D8/356
D926,706	S *	8/2021	Gustaveson, II	F16L 3/13 D13/155
11,130,651	B2 *	9/2021	Brunner	B65H 57/04
D935,308	S *	11/2021	Liu	D8/356
2005/0189453	A1 *	9/2005	DeGuevara	H02G 3/305 248/68.1
2005/0251967	A1 *	11/2005	McNeill	B65D 63/1027 24/16 PB
2006/0144610	A1 *	7/2006	Gelibert	H01R 4/5066 174/72 A
2010/0132979	A1 *	6/2010	Chen	H02G 3/32 174/135
2010/0258685	A1 *	10/2010	Gardner	F16L 3/23 248/68.1
2018/0070713	A1 *	3/2018	Moreau	A45F 5/021
2018/0084886	A1 *	3/2018	O'Hare	A45D 8/34

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8