

US00D947155S

(12)

United States Design Patent

Lee

(10)

Patent No.:

US D947,155 S

(45)

Date of Patent:

** Mar. 29, 2022

(54) COVER FOR REMOTE CONTROLLER

FOREIGN PATENT DOCUMENTS

(71) Applicant: ELAGO CO. LTD, Goyang-si (KR)

CN 304808621 9/2018
CN 304970754 1/2019

(72) Inventor: Chanwoo Lee, Goyang-si (KR)

(Continued)

(73) Assignee: elago CO. LTD, Goyang-si (KR)

OTHER PUBLICATIONS

(**) Term: 15 Years

AMazon remote cover, website 2022, site visited Feb. 10, 2022, https://www.amazon.com/Protective-Silicone-Shockproof-Anti-Slip-Anti-Lost/dp/B081JJ4B8L/ref=asc_df... (Year: 2022).*

(21) Appl. No.: 29/784,869

(22) Filed: May 21, 2021

Primary Examiner — John R Yeh

(51) LOC (13) Cl. 14-03

(74) Attorney, Agent, or Firm — Paratus Law Group, PLLC

(52) U.S. Cl.

USPC D14/218

(58) Field of Classification Search

USPC D13/168; D14/218, 250; D21/333
See application file for complete search history.

(57) CLAIM

The ornamental design for a cover for remote controller, as shown and described.

(56) References Cited

U.S. PATENT DOCUMENTS


4,836,256 A	6/1989	Meliconi	
D357,918 S *	5/1995	Doria	D14/218
D427,583 S *	7/2000	Kazama	D14/218
D448,761 S *	10/2001	Powell	D14/250
D459,346 S	6/2002	Powell	
D461,850 S *	8/2002	Hussaini	D21/333
D502,744 S *	3/2005	Hussaini	D21/333
D551,659 S *	9/2007	Shih	D14/218
D594,850 S *	6/2009	Yan	D14/218
D633,478 S *	3/2011	Bolton	D14/218
D638,067 S *	5/2011	Suetake	D21/333
D673,934 S *	1/2013	Shin	D14/218
D710,330 S	8/2014	Miller	
D733,100 S *	6/2015	Kim	D14/218
D733,687 S *	7/2015	Stockwell	D14/218
D757,702 S *	5/2016	Kanazawa	D14/250
D818,714 S	5/2018	Miller	
D845,279 S *	4/2019	Huang	D14/218
D845,930 S *	4/2019	Schulz	D14/218
D847,793 S *	5/2019	Wendling	D14/218
D877,731 S *	3/2020	Kim	D14/250

(Continued)

DESCRIPTION

FIG. 1 is a front, top, and left-side perspective view of a cover for remote controller, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a back, top, and right side perspective view thereof;
and,
FIG. 9 is a cross-sectional view taken in the direction of line 9-9 shown in FIG. 1.
The long dash short dash broken lines and arrows are used to identify the cross-sectional view and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D901,451 S * 11/2020 Biddle D14/218
D915,232 S 4/2021 Lee et al.
D924,845 S * 7/2021 Maier D14/218
D939,475 S * 12/2021 Lee D14/218
D942,958 S * 2/2022 Maier D14/218
D942,968 S * 2/2022 Maier D14/218

FOREIGN PATENT DOCUMENTS

CN 305729968 4/2020
CN 306386998 3/2021
CN 306472813 4/2021
CN 306490310 4/2021
CN 306526130 5/2021
GB 6091464 6/2020

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

