

US00D947784S

(12) **United States Design Patent** (10) **Patent No.:** **US D947,784 S**
Ogorek et al. (45) **Date of Patent:** **** Apr. 5, 2022**

(54) **FIELD POWER SELECTOR**

(71) Applicant: **ABB Schweiz AG**, Baden (CH)

(72) Inventors: **Richard Ogorek**, Sagamore Hills, OH (US); **David Mielnik**, Painsville, OH (US); **Krzysztof Miedza**, Bay Village, OH (US)

(73) Assignee: **ABB Schweiz AG**, Baden (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/679,851**

(22) Filed: **Feb. 11, 2019**

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/146; D13/147**

(58) **Field of Classification Search**
USPC ... D13/110, 123, 133, 146, 147, 162.1, 173, D13/184, 199; D14/256
CPC G05B 19/10; G05B 19/0423; G05B 2219/31121; H05K 1/18; H05K 7/1478; H05K 7/1472; H01R 13/11
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,585,290 A * 4/1986 Knickerbocker G01R 1/0416 439/395
D298,932 S * 12/1988 Knickerbocker D13/147
D319,425 S * 8/1991 Bibbiani D13/123
5,556,301 A * 9/1996 Chishima H01R 13/53 439/101
5,995,617 A * 11/1999 Tuvy H01R 9/24 379/326
6,068,508 A * 5/2000 Daoud H04Q 1/136 439/490
6,146,024 A * 11/2000 Melchior G02B 6/3834 385/59
D438,843 S * 3/2001 Middlehurst D13/147

D506,727 S * 6/2005 Taguchi D13/133
D526,276 S * 8/2006 Shiraishi D13/146
D611,418 S * 3/2010 Kato D13/147
D634,275 S * 3/2011 Bower D13/147
D713,343 S * 9/2014 Lee D13/133
D736,160 S * 8/2015 Chen D13/146
10,002,091 B2 * 6/2018 Yang G06F 11/2028
10,462,924 B2 * 10/2019 Mielnik H05K 7/1467
10,551,815 B2 * 2/2020 Ott G05B 19/0423
10,845,773 B2 * 11/2020 Mielnik H05K 7/1478

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Leydig, Voit & Mayer, Ltd.


(57) **CLAIM**

The ornamental design for a field power selector, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of the field power selector;
FIG. 2 is a back perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a back elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a front perspective view of a second embodiment of the field power selector; the back, right, left, and top views being identical to those shown in FIGS. 3-7.
FIG. 10 is a front elevation view thereof; and,
FIG. 11 is a bottom plan view thereof.
The broken lines shown in the figures are for the purpose of illustrating portions of the field power selector that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0344729	A1 *	12/2013	Hung	H01R 13/11 439/374
2020/0014149	A1 *	1/2020	Chen	H01R 13/2492
2020/0272119	A1 *	8/2020	Mielnik	H05K 1/18
2021/0075145	A1 *	3/2021	Hung	H01R 43/16
2021/0100124	A1 *	4/2021	Wrobel	H05K 7/1484
2021/0151939	A1 *	5/2021	Hsueh	H01R 13/6599

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11