

US00D948151S

(12) **United States Design Patent**
Tylaska

(10) **Patent No.:** **US D948,151 S**

(45) **Date of Patent:** **** Apr. 5, 2022**

(54) **COVER FOR HANDLED IMPLEMENTS**

(71) Applicant: **Theodore Tylaska**, Old Mystic, CT
(US)

(72) Inventor: **Theodore Tylaska**, Old Mystic, CT
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/687,885**

(22) Filed: **Apr. 16, 2019**

(51) **LOC (13) Cl.** **04-01**

(52) **U.S. Cl.**
USPC **D32/50**; D32/51

(58) **Field of Classification Search**
USPC D7/387, 624.2; D9/550, 563; D10/46,
D10/47, 52, 104.1, 104.2; D14/490, 491;
D19/1-12; D20/10, 11, 18, 22-29, 49;
D6/512, 515, 682.2; D32/33, 35, 39, 50,
D32/51, 74
CPC G09F 1/00; G09F 1/04; G09F 3/00; G09F
3/005; G09F 3/0288; G09F 3/0289; G09F
3/02; G09F 3/04; G09F 3/06; G09F 3/08;
G09F 3/10; G06K 19/0776
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D16,974 S * 11/1886 Palmer D32/74
- D37,795 S * 1/1906 Rooney D32/74
- D38,037 S * 5/1906 Rooney D32/74
- D239,154 S * 3/1976 Liddle D32/35
- D434,194 S * 11/2000 Bergquist D30/152
- 6,932,027 B1 * 8/2005 Whitney A01K 27/00
119/770
- D546,519 S * 7/2007 McCollam D32/74
- 7,467,604 B1 * 12/2008 Werner A01K 27/00
119/770
- D638,838 S * 5/2011 Schwartz D14/403
- D645,107 S * 9/2011 Schaufele D21/793

- 8,057,275 B2 * 11/2011 Cameron A63H 13/02
446/330
- D672,098 S * 12/2012 Byrne D30/160
- D678,430 S * 3/2013 Montibert D21/611
- 8,998,670 B1 * 4/2015 De Leon A63H 3/46
446/97
- D759,925 S * 6/2016 Martens D32/50

(Continued)

Primary Examiner — Mary Ann Calabrese

Assistant Examiner — Catherine Ho

(74) *Attorney, Agent, or Firm* — Mitchell Law PLLC;

Matthew W. Mitchell

(57) **CLAIM**

I claim the ornamental design for a cover for handled implements, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a cover for handled implements;

FIG. 2 is front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right-side view thereof;

FIG. 5 is a left-side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front isometric view of a cover for handled implements in a folded o configuration shown in an environment of use;

FIG. 9 is rear isometric view thereof;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;


FIG. 12 is a right-side view thereof;

FIG. 13 is a left-side view thereof; and,

FIG. 14 is a top plan view thereof.

The broken lines showing a broom and a mop form no part of the claimed design. Broken lines on the implementation are perforations, which are part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D868,407 S * 11/2019 Mi D32/35
D871,684 S * 12/2019 Searvogel D30/152
D884,803 S * 5/2020 Stevens D21/659
D892,236 S * 8/2020 Ray D21/612
D931,567 S * 9/2021 Libman D32/50
D935,718 S * 11/2021 Huang D32/51
D935,719 S * 11/2021 Huang D32/51
2019/0343087 A1 * 11/2019 White A01K 27/005

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14