



US00D948429S

(12) **United States Design Patent** (10) **Patent No.:** **US D948,429 S**  
**Douglas et al.** (45) **Date of Patent:** **\*\* Apr. 12, 2022**

(54) **CHARGING APPARATUS**

(71) Applicant: **Dyson Technology Limited**, Wiltshire (GB)

(72) Inventors: **Philip Stephen Douglas**, Bristol (GB); **Simon Brian McNamee**, Bristol (GB); **Alexander Patrick Webster**, Bristol (GB); **Alexander Stuart Knox**, Swindon (GB); **Giles Ashbee**, Swindon (GB); **William Henry Kerr**, Bristol (GB); **Andrew Martin Mitchell**, Swindon (GB); **Nathan Geoffrey Dobbs**, Bristol (GB)

(73) Assignee: **Dyson Technology Limited**, Wiltshire (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/751,950**

(22) Filed: **Sep. 24, 2020**

(30) **Foreign Application Priority Data**

Mar. 25, 2020 (EM) ..... 007772249-0001

(51) **LOC (13) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/108**

(58) **Field of Classification Search**  
USPC ..... D13/102–110, 118, 119, 184, 199;  
D14/251, 253, 432, 434  
CPC .... H01M 10/44; H01M 10/46; H01M 10/465;  
H01M 10/482; H01M 10/4257; H01M  
10/0436; H01M 10/48; H01M 2200/30;  
H01M 2250/30; H01M 2250/40; Y02T  
10/7005; Y02T 10/705; Y02T 10/7088;  
Y02E 60/10; Y02E 60/12; Y02E 60/122;

Y02E 60/124; Y02E 60/50; H02J 7/00;  
H02J 7/0003; H02J 7/0011; H02J 7/0013;  
H02J 7/0054; H02J 7/0055; H02J 7/0057;  
H02J 7/0034; H02J 7/1423; H02J  
2001/006

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D685,322	S	*	7/2013	Szymanski	.....	D13/108
D703,133	S	*	4/2014	Ireland	.....	D13/108
D761,201	S	*	7/2016	Ireland	.....	D13/108
D924,131	S	*	7/2021	Kuo	.....	D13/108
D932,425	S	*	10/2021	Zhu	.....	D13/107
2012/0001048	A1	*	1/2012	Takahashi	.....	H04M 1/04 248/346.03
2016/0204635	A1	*	7/2016	Suzuki	.....	G06F 1/1626 361/679.3

\* cited by examiner

*Primary Examiner* — Christy Nemeth

(74) *Attorney, Agent, or Firm* — Faegre Drinker Biddle & Reath LLP


(57) **CLAIM**

We claim the ornamental design for a charging apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a charging apparatus showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a side view thereof;  
FIG. 5 is a side view of the opposite side of FIG. 4;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7