



US00D948448S

(12) **United States Design Patent**
Ma et al.

(10) **Patent No.:** **US D948,448 S**
(45) **Date of Patent:** **** Apr. 12, 2022**

- (54) **SOCKET**
- (71) Applicant: **SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD**, Macquarie Park (AU)
- (72) Inventors: **Zhen Ma**, Shenzhen (CN); **Fuhua Shan**, Shenzhen (CN); **Dahai Zhang**, Shenzhen (CN); **Pei Shang**, Shenzhen (CN); **Qilian Du**, Shenzhen (CN)
- (73) Assignee: **SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD**, Macquarie Park (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/658,074**

(22) Filed: **Jul. 27, 2018**

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.1**

(58) **Field of Classification Search**
USPC D13/110, 118, 119, 122, 123, D13/137.1-137.4, 138.1-138.2, D13/139.1-139.8, 160, 178, 184, 199, D13/152, 156; D3/262; D24/227, 229, D24/230
CPC H01R 13/6675; H01R 13/10; H01R 13/44; H01R 13/66; H01R 13/652; H01R 31/065; H01R 31/00; H01R 9/00; H01R 11/00; H01R 25/00; H01R 25/006; H01H 2207/00; H01H 2207/022
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D306,583 S * 3/1990 Krolopp D13/184
- D318,848 S * 8/1991 Scholl D13/139.3

- 5,835,980 A * 11/1998 Houssian H02G 3/14 174/67
- D482,661 S * 11/2003 Shotey D13/156
- D505,758 S * 5/2005 Rohmer D13/156
- D558,676 S * 1/2008 Fort D13/139.3
- D662,885 S * 7/2012 Hoffman D13/139.1
- D700,892 S * 3/2014 Segnit D13/137.2
- D710,804 S * 8/2014 Duffy D13/139.3
- D712,832 S * 9/2014 Zhou D13/110
- D715,224 S * 10/2014 Junko D13/139.1
- D719,511 S * 12/2014 Dodal D13/139.1
- D721,043 S * 1/2015 Tonnesen D13/156
- D730,836 S * 6/2015 Lee D13/139.3
- D731,432 S * 6/2015 Murphy D13/139.1
- D734,253 S * 7/2015 Tinaphong H01R 13/70 D13/108
- D735,137 S * 7/2015 Duffy D13/139.1
- D744,951 S * 12/2015 Oosterman D13/139.1
- D745,371 S * 12/2015 Trojanowski D8/350

(Continued)

Primary Examiner — Christy Nemeth

(74) *Attorney, Agent, or Firm* — Locke Lord LLP


(57) **CLAIM**

The ornamental design for a socket, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a socket of a first embodiment; FIG. 2 is a right side view of the socket in FIG. 1; FIG. 3 is a left side view of the socket in FIG. 1; FIG. 4 is a bottom view of the socket in FIG. 1; FIG. 5 is a top view of the socket in FIG. 1; FIG. 6 is a perspective view of the socket in FIG. 1; FIG. 7 is a front view of a socket of a second embodiment; FIG. 8 is a right side view of the socket in FIG. 7; FIG. 9 is a left side view of the socket in FIG. 7; FIG. 10 is a bottom view of the socket in FIG. 7; FIG. 11 is a top view of the socket in FIG. 7; and, FIG. 12 is a perspective view of the socket in FIG. 7.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D779,436 S * 2/2017 Huynh D13/139.6
D799,934 S * 10/2017 Poulheim D8/353
D804,429 S * 12/2017 Baldwin D13/156
D807,827 S * 1/2018 Lu D13/137.2
D826,860 S * 8/2018 Iaconis D13/139.1
D829,664 S * 10/2018 Gorin D13/139.3
D860,948 S * 9/2019 Wang D13/137.2
D860,950 S * 9/2019 Ma D13/139.6
10,559,946 B1 * 2/2020 Shang H02B 1/042
D882,527 S * 4/2020 Plaja Miro D13/156
D902,010 S * 11/2020 Du D8/341
D909,974 S * 2/2021 Kuhn D13/122
2003/0077930 A1 * 4/2003 Chu H01R 13/4538
439/140
2013/0118771 A1 * 5/2013 Tonnesen H02G 3/14
174/66
2014/0182876 A1 * 7/2014 Trojanowski H02G 3/14
174/66

* cited by examiner




FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10



FIG. 11




FIG. 12