



US00D948753S

(12) **United States Design Patent**
Rashid

(10) **Patent No.:** **US D948,753 S**
(45) **Date of Patent:** **** Apr. 12, 2022**

(54) **ROOF SUPPORT STRUCTURE WITH PERIPHERAL SUPPORT STRAP GROOVES**

5,943,839 A 8/1999 Miller
6,170,222 B1 1/2001 Miller
6,622,960 B2 9/2003 Hyde
D596,812 S * 7/2009 Sicken D30/199
8,448,746 B2 5/2013 Davis
(Continued)

(71) Applicant: **Phil Squared Roof Jack Systems LLC**, Milford, MI (US)

(72) Inventor: **Philip F Rashid**, Milford, MI (US)

(73) Assignee: **Phil Squared Roof Jack Systems LLC**, Highland, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/759,416**

(22) Filed: **Nov. 23, 2020**

(51) **LOC (13) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/133**

(58) **Field of Classification Search**
USPC D25/119, 125, 126, 127, 128, 129, 130, D25/131, 132, 133, 134, 135, 136
CPC E04D 15/02; E04D 15/00; E04D 13/12; E04G 3/26; E04G 3/265; E04G 21/166; E04G 3/34; A47B 91/12; A47B 91/024
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

341,950 A 5/1886 Sharpe
1,586,038 A 5/1926 Hall
4,135,335 A 1/1979 Jensen
4,830,320 A * 5/1989 Bellows A47B 91/12
248/188.2
5,232,187 A 8/1993 O'Farrell et al.
5,263,551 A * 11/1993 Andersen B25H 1/06
182/107
5,715,910 A * 2/1998 Koch E06C 7/081
182/200
5,887,406 A 3/1999 Bond

FOREIGN PATENT DOCUMENTS

EP 0710457 A2 5/1996

Primary Examiner — Samantha Q Lawrence

(74) *Attorney, Agent, or Firm* — Edmund P. Anderson; North Star IP Law PLLC

(57) **CLAIM**


The ornamental design for a roof support structure with peripheral support strap grooves, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a roof support structure with peripheral support strap grooves
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a perspective view of a second embodiment of a roof support structure with peripheral support strap grooves
FIG. 9 is a top view thereof;
FIG. 10 is a bottom view thereof;
FIG. 11 is a left side view thereof;
FIG. 12 is a right side view thereof;
FIG. 13 is a front view thereof; and,
FIG. 14 is a rear view thereof.

The roof support structure with peripheral support strap grooves is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D743,628	S	11/2015	Millington	
D762,306	S	7/2016	Torres et al.	
D809,799	S	2/2018	Pietruszewski et al.	
D821,959	S	7/2018	Baker	
10,206,511	B2 *	2/2019	Peters	A47C 7/008
10,662,707	B2 *	5/2020	Koeman, IV	E06C 7/44
10,844,616	B2	11/2020	Rashid et al.	
2004/0144815	A1	7/2004	Reid	
2004/0262467	A1	12/2004	Burr	
2006/0226310	A1	10/2006	Hall et al.	
2009/0151039	A1	6/2009	Kielland	
2009/0249740	A1	10/2009	Crookston	
2010/0127002	A1	5/2010	Bel	
2012/0080264	A1	4/2012	Lord	
2012/0085590	A1	4/2012	Davis	
2015/0021452	A1	1/2015	Bourbonnais	
2018/0334814	A1 *	11/2018	Rashid	E04D 15/02
2019/0218799	A1	7/2019	Smith et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14