

US00D949181S

(12) **United States Design Patent**  
**Wu**

(10) **Patent No.:** **US D949,181 S**  
(45) **Date of Patent:** **\*\* Apr. 19, 2022**

(54) **DISPLAY SCREEN WITH GRAPHICAL USER INTERFACE FOR LIVE BROADCASTING**

(71) Applicant: **Twitter, Inc.**, San Francisco, CA (US)

(72) Inventor: **Veronika Wu**, San Francisco, CA (US)

(73) Assignee: **Twitter, Inc.**, San Francisco, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/718,938**

(22) Filed: **Dec. 30, 2019**

(51) **LOC (13) Cl.** ..... **14-04**

(52) **U.S. Cl.**  
USPC ..... **D14/486**

(58) **Field of Classification Search**  
USPC ..... D14/495

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D594,468 S \* 6/2009 Bamford ..... D14/488

D614,643 S \* 4/2010 Viegars ..... D14/486

(Continued)

*Primary Examiner* — Katherine A Holbrow

(74) *Attorney, Agent, or Firm* — Brake Hughes  
Bellermann LLP

(57) **CLAIM**

The ornamental design for a display screen with graphical user interface for live broadcasting, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a display screen with graphical user interface for live broadcasting, showing a first embodiment of the new design;

FIG. 2 is a second embodiment thereof; and

FIG. 3 is a third embodiment thereof.

FIG. 4 is a fourth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 5 is a fifth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 6 is a sixth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 7 is a seventh embodiment of a display screen with graphical user interface for moments in a social media application.

FIG. 8 is an eighth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 9 is a ninth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 10 is a tenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 11 is an eleventh embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 12 is a twelfth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 13 is a thirteenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 14 is a fourteenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 15 is a fifteenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 16 is a sixteenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 17 is a seventeenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 18 is an eighteenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 19 is a nineteenth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 20 is a twentieth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 21 is a twenty first embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 22 is a twenty second embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 23 is a twenty third embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 24 is a twenty fourth embodiment of a display screen with graphical user interface for live broadcasting.

(Continued)




FIG. 25 is a twenty fifth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 26 is a twenty sixth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 27 is a twenty seventh embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 28 is a twenty eighth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 29 is a twenty eighth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 30 is a thirtieth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 31 is a thirty first embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 32 is a thirty second embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 33 is a thirty third embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 34 is a thirty fourth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 35 is a thirty fifth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 36 is a thirty sixth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 37 is a thirty seventh embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 38 is a thirty eighth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 39 is a thirty ninth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 40 is a fortieth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 41 is a forty first embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 42 is a forty second embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 43 is a forty third embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 44 is a forty fourth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 45 is a forty fifth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 46 is a forty sixth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 47 is a forty seventh embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 48 is a forty eighth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 49 is a forty ninth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 50 is a fiftieth embodiment of a display screen with graphical user interface for live broadcasting.

FIG. 51 is a fifty first embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 52 is a fifty second embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 53 is a fifty third embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 54 is a fifty fourth embodiment of a display screen with graphical user interface for live broadcasting.  
 FIG. 55 is a fifty fifth embodiment of a display screen with graphical user interface for live broadcasting; and,  
 FIG. 56 is a fifty sixth embodiment of a display screen with graphical user interface for live broadcasting.  
 The rectangular broken line in the drawings represents a display screen that form no part of the claimed design. The broken lines outside the display screen show an electronic device and form no part of the claimed design. All other broken lines inside the display screen show portions of the graphical user interface and form no part of the claimed design.

**1 Claim, 24 Drawing Sheets**

(58) **Field of Classification Search**

CPC .. G06F 3/0481; G06F 3/0482; G06F 3/04842;  
 G06F 3/0488; G06F 3/04817; G06T  
 2200/24; G10H 1/0008; H04N 21/4788;  
 H04N 21/21805; H04N 21/2187; H04W  
 4/21

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D677,279	S *	3/2013	Phelan .....	D14/495
D692,910	S *	11/2013	Anzures .....	D14/486
D701,229	S *	3/2014	Lee .....	D14/486
D706,825	S *	6/2014	Rhee .....	D14/490
8,832,594	B1 *	9/2014	Thompson .....	G06F 3/0481 715/801
D759,105	S *	6/2016	Pal .....	D14/488
D759,688	S *	6/2016	Wu .....	D14/486
D778,944	S *	2/2017	Kim .....	D14/488
D780,188	S *	2/2017	Xiao .....	D14/485
D795,911	S *	8/2017	Hao .....	D14/486
D797,774	S *	9/2017	Park .....	D14/486
D814,505	S *	4/2018	Amaravadi .....	D14/488
D820,305	S *	6/2018	Clediere .....	D14/488
10,035,065	B2 *	7/2018	Schupak .....	A63F 13/65
D889,508	S *	7/2020	Kane .....	D14/488
D922,399	S *	6/2021	Desai .....	D14/485
D935,477	S *	11/2021	Stapleton .....	D14/485
2011/0004835	A1 *	1/2011	Yanchar .....	G06Q 10/109 715/763
2017/0099253	A1 *	4/2017	Muthukumar .....	G06F 16/951

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10








FIG. 11

FIG. 12

FIG. 13






FIG. 16

FIG. 15

FIG. 14




FIG. 17




FIG. 18




FIG. 19






FIG. 20

FIG. 21

FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 31




FIG. 30




FIG. 29




FIG. 33




FIG. 32






FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 41




FIG. 40




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52






FIG. 54




FIG. 53




FIG. 56




FIG. 55

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D949,181 S  
APPLICATION NO. : 29/718938  
DATED : April 19, 2022  
INVENTOR(S) : Wu

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Column 2, Item (57), under "DESCRIPTION", Lines 1-43, delete "FIG. 4 is a fourth embodiment of a..... user interface for live broadcasting."

On Page 2, Column 1, Item (57), under "DESCRIPTION", Lines 1-52, delete "FIG. 25 is a twenty fifth embodiment of. .... user interface for live broadcasting."

On Page 2, Column 2, Item (57), under "DESCRIPTION", Lines 1-19, delete "FIG. 51 is a fifty first embodiment of.. .... no part of the claimed design."

Signed and Sealed this  
Thirteenth Day of December, 2022



Katherine Kelly Vidal  
*Director of the United States Patent and Trademark Office*