



US00D949299S

(12) **United States Design Patent** (10) **Patent No.:** **US D949,299 S**
Schuster (45) **Date of Patent:** **** Apr. 19, 2022**

(54) **TOILET SEAT**

D895,088 S * 9/2020 Fu D23/311
D896,357 S * 9/2020 Dungee D23/311
2008/0235857 A1* 10/2008 Tzeng A47K 13/16
4/234

(71) Applicant: **Fridolin Schuster**, London (CA)

(72) Inventor: **Fridolin Schuster**, London (CA)

(73) Assignee: **Sonix Enterprises Inc.**, London (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/733,198**

(22) Filed: **Apr. 30, 2020**

(30) **Foreign Application Priority Data**

Nov. 5, 2019 (CA) CA 191004

(51) **LOC (13) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/311**

(58) **Field of Classification Search**
USPC D23/303, 308, 311
CPC A47K 13/00; A47K 13/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,050,105 A * 9/1977 Marceaux A47K 13/14
4/245.4
D733,851 S * 7/2015 Stelter D23/311
D745,650 S * 12/2015 Buntine D23/311
D838,821 S * 1/2019 Wong D23/311
D858,725 S * 9/2019 King D23/311
D868,950 S * 12/2019 Ross D23/311
D880,665 S * 4/2020 Pomplun D23/311
D886,964 S * 6/2020 Goodes D23/304

FOREIGN PATENT DOCUMENTS

JP D1594320 * 6/2017

OTHER PUBLICATIONS

Kohler K-4734-0 Rutledge Elongated White Toilet Seat, first available Sep. 14, 2004[online], [site visited Sep. 3, 2021]. Available from internet, URL:<<https://www.amazon.com/K-4734-0-Grip-Tight-Quiet-Close-Quick-Release-Quick-Attach/dp/B000UPO2RCwebsite>> (Year: 2004).*

* cited by examiner

Primary Examiner — Barbara Fox
Assistant Examiner — Jamaal Rasheed


(57) **CLAIM**

The ornamental design for a toilet seat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a toilet seat showing the new design; and, FIG. 2 is a top view of the toilet seat, shown separately from the environmental structure. The broken lines shown in FIG. 1 depict environmental structure that forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2