



US00D949443S

(12) **United States Design Patent**
Liang et al.

(10) **Patent No.:** **US D949,443 S**
(45) **Date of Patent:** **** Apr. 19, 2022**

(54) **RGB MULTI-COLOR INTELLIGENT LED LIGHT**

(71) Applicant: **Dongguan YC Onion Network Technology Co. Ltd, Dongguan (CN)**

(72) Inventors: **Zhihao Liang, Dongguan (CN); Zhenyu Yang, Raoping (CN); Dahao Zheng, Raoping (CN)**

(**) Term: **15 Years**

(21) Appl. No.: **29/695,854**

(22) Filed: **Jun. 22, 2019**

(51) **LOC (13) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/24; D26/37**

(58) **Field of Classification Search**
USPC D26/24, 37, 38, 76, 93, 104, 120; D10/114.1, 114.2
CPC F21W 2131/10; F21W 2131/20; F21W 2131/30; F21W 2131/40; F21Y 2105/10; F21Y 2105/16; F21Y 2115/10; F21Y 2103/20; F21V 15/00; F21V 15/01; Y10S 362/00; Y10S 362/80
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D300,864 S * 4/1989 Titmarsh D26/24
D322,135 S * 12/1991 Wierzbicki D26/24
D589,834 S * 4/2009 Lyons D10/114.1
D595,875 S * 7/2009 Irvine D26/24
D620,185 S * 7/2010 Schmitt D26/93
D630,777 S * 1/2011 Lee D26/24
D637,563 S * 5/2011 Reed D13/180
D659,867 S * 5/2012 Zhan D26/37
D720,485 S * 12/2014 Gough D26/63

D720,486 S * 12/2014 Gough D26/63
D762,912 S * 8/2016 Gevorkyan D26/104
D800,945 S * 10/2017 Xiang D26/92
D800,946 S * 10/2017 Xiang D26/92
D846,175 S * 4/2019 Baumeister D26/74
D855,227 S * 7/2019 Becker D26/37
D866,818 S * 11/2019 Lindholm D26/28
D870,324 S * 12/2019 McAlpine D26/24
D872,920 S * 1/2020 Korpi D26/63
D896,417 S * 9/2020 Huang D26/37
D937,448 S * 11/2021 Mazeaud F21V 1/00
D26/24
2013/0308312 A1* 11/2013 Pickholz F21S 45/48
362/235
2017/0002996 A1* 1/2017 Wang F21V 19/003
2019/0056076 A1* 2/2019 Thomas F21V 19/003

* cited by examiner

Primary Examiner — Wan Laymon
Assistant Examiner — Clint A Samuel


(57) **CLAIM**

The ornamental design for a RGB multi-color intelligent LED light, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a RGB multi-color intelligent LED light, showing our design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines shown in the drawings depict portions of the RGB multi-color intelligent LED light in which the design is embodied that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8