

US00D949676S

(12) **United States Design Patent** (10) **Patent No.:** **US D949,676 S**
Roach et al. (45) **Date of Patent:** **** Apr. 26, 2022**

(54) **MESH CLAMP**

(71) Applicants: **SANDVIK MINING AND CONSTRUCTION AUSTRALIA PTY LTD**, Milton (AU); **Sandvik Mining and Construction Tools AB**, Sandviken (SE)

(72) Inventors: **Warren Roach**, Durren Durren (AU); **Peter Young**, Bray Park (AU); **Mietek Rataj**, Charlestown (AU); **Bradley Darlington**, Wellard (AU)

(73) Assignees: **Sandvik Mining and Construction Australia Pty Ltd**, Milton (AU); **Sandvik Mining and Construction Tools AB**, Sandviken (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/671,392**

(22) Filed: **Nov. 27, 2018**

(51) **LOC (13) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/394**

(58) **Field of Classification Search**
USPC D8/356, 371, 373, 380, 394-396
CPC . E04B 9/067; E04B 9/068; E04B 9/12; E04B 9/18; E04B 9/30; E04B 2009/062; E04C 2003/0413; E04C 2003/0439; E04C 2003/046; H02G 3/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D322,557 S * 12/1991 Cummings D8/394
5,207,535 A * 5/1993 Saab E21D 21/0086
405/259.1
D390,100 S * 2/1998 Thatcher D8/387
6,004,077 A * 12/1999 Saab E21D 21/0086
405/288

6,183,182 B1 * 2/2001 Baumgartner E04D 3/3603
411/437
6,565,303 B1 * 5/2003 Riccitelli E04D 3/3603
411/368
6,957,931 B2 * 10/2005 Slater E21D 21/0086
405/302.1
8,336,275 B2 * 12/2012 Rodenhouse F16B 25/0057
52/741.3

(Continued)

FOREIGN PATENT DOCUMENTS

CN 304911779 * 11/2018
CN 304938103 * 12/2018

Primary Examiner — John R Yeh

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a mesh clamp, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a mesh clamp showing our new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a perspective front view thereof;
FIG. 7 is a perspective rear view thereof;
FIG. 8 is a rear view thereof;
FIG. 9 is a top plan view of the mesh clamp of FIGS. 1-8 without shading showing our new design thereof;
FIG. 10 is a right side view thereof;
FIG. 11 is a front view thereof;
FIG. 12 is a left side view thereof;
FIG. 13 is a bottom view thereof;
FIG. 14 is a perspective front view thereof;
FIG. 15 is a perspective rear view thereof; and,
FIG. 16 is a rear view thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D818,808	S	*	5/2018	Barnett		D8/394
D858,265	S	*	9/2019	Tenander		D8/394
D903,477	S	*	12/2020	Goratela		D8/394
2020/0200007	A1	*	6/2020	Gotmalm		E21D 21/02
2020/0318479	A1	*	10/2020	Rataj		E21D 21/0026

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 8




Fig. 7




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 16




Fig. 15