



US00D949726S

(12) **United States Design Patent** (10) **Patent No.:** **US D949,726 S**
Ackerman et al. (45) **Date of Patent:** **** Apr. 26, 2022**

(54) **AUTOMOBILE CONNECTIVITY DEVICE**

(71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)

(72) Inventors: **Nathan Ackerman**, Palo Alto, CA (US); **Christopher Loew**, Palo Alto, CA (US); **Wen-Yo Lu**, Pasadena, CA (US); **Rafal Piersiak**, Los Gatos, CA (US); **John Roos**, Los Gatos, CA (US); **James Siminoff**, Pacific Palisades, CA (US)

(73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/751,828**

(22) Filed: **Sep. 23, 2020**

(51) **LOC (13) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/106.9**

(58) **Field of Classification Search**
USPC D14/240, 242, 357, 358, 140-140.9, 155, D14/125, 137, 139, 243, 348, 349, 351, D14/354, 355; D10/106.9
CPC H04L 12/00; H03K 17/00; H04W 88/00; H04W 88/005; H04W 88/02; H04W 88/08; H04W 88/085; H04W 88/10; H04W 88/12; H04W 88/14; H04B 1/38; E05B 73/0017; Y10T 70/5004; B60R 2325/20; B60B 7/16

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D379,993 S * 6/1997 Devitt D14/149
D418,822 S * 1/2000 Worley D13/162
D433,020 S * 10/2000 Silbermann D14/125
D473,860 S * 4/2003 Pietola D14/240

D474,417 S * 5/2003 Belden, Jr D10/106.9
D480,390 S * 10/2003 Miao D14/240
D480,715 S * 10/2003 Pietola D14/240
D514,096 S * 1/2006 Storti D14/240
D520,500 S * 5/2006 Storti D14/240
D562,813 S * 2/2008 Storti D14/240
D592,661 S * 5/2009 Woo D14/242

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306746113 * 8/2021

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.

(57) **CLAIM**


The ornamental design for an automobile connectivity device, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, right-side perspective view of a first embodiment of an automobile connectivity device; FIG. 2 is a back, top, left-side perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a back view thereof; FIG. 5 is a left-side view thereof; FIG. 6 is a right-side view thereof; FIG. 7 is a top view thereof; FIG. 8 is a bottom view thereof; FIG. 9 is a front, bottom, right-side perspective view of a second embodiment of an automobile connectivity device; FIG. 10 is a back, top, left-side perspective view thereof; FIG. 11 is a front view thereof; FIG. 12 is a back view thereof; FIG. 13 is a left-side view thereof; FIG. 14 is a right-side view thereof; FIG. 15 is a top view thereof; and, FIG. 16 is a bottom view thereof.

The dashed broken lines depict portions of the automobile connectivity device that form no part of the claimed design.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D607,443 S * 1/2010 Klein D14/240
D906,304 S * 12/2020 Dubois D14/240

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16