



US00D949727S

(12) **United States Design Patent** (10) **Patent No.:** **US D949,727 S**  
**Ackerman et al.** (45) **Date of Patent:** **\*\* Apr. 26, 2022**

(54) **AUTOMOBILE CONNECTIVITY DEVICE**(71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)(72) Inventors: **Nathan Ackerman**, Palo Alto, CA (US); **Christopher Loew**, Palo Alto, CA (US); **Wen-Yo Lu**, Pasadena, CA (US); **Rafal Piersiak**, Los Gatos, CA (US); **John Roos**, Los Gatos, CA (US); **James Siminoff**, Pacific Palisades, CA (US)(73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)(\*\*) Term: **15 Years**(21) Appl. No.: **29/751,829**(22) Filed: **Sep. 23, 2020**(51) LOC (13) Cl. .... **10-05**

(52) U.S. Cl.

USPC ..... **D10/106.9**(58) **Field of Classification Search**

USPC .... D14/240, 242, 357, 358, 140–140.9, 155, D14/125, 137, 139, 243, 348, 349, 351,

D14/354, 355; D10/106.9

CPC ..... H04L 12/00; H03K 17/00; H04W 88/00; H04W 88/005; H04W 88/02; H04W 88/08; H04W 88/085; H04W 88/10; H04W 88/12; H04W 88/14; H04B 1/38; E05B 73/0017; Y10T 70/5004; B60R 2325/20; B60B 7/16

See application file for complete search history.

(56)

**References Cited****U.S. PATENT DOCUMENTS**

D292,926	S *	11/1987	Gillespie .....	D14/242
D348,070	S *	6/1994	Vallilee .....	D14/240
D427,188	S *	6/2000	McGugan .....	D14/240
D778,750	S *	2/2017	Phillips .....	D10/106.9
D798,757	S *	10/2017	Corley .....	D10/106.9
D821,373	S *	6/2018	Pera .....	D14/240

\* cited by examiner

Primary Examiner — Bridget L Eland

(74) Attorney, Agent, or Firm — Lee &amp; Hayes, P.C.

(57)

**CLAIM**

The ornamental design for an automobile connectivity device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right-side perspective view of an automobile connectivity device;

FIG. 2 is a back, left-side perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a left-side view thereof;

FIG. 6 is a right-side view thereof;


FIG. 7 is a top view thereof;


FIG. 8 is a bottom view thereof;

FIG. 9 is a front, right-side perspective view of the automobile connectivity device of FIG. 1, shown in an alternate configuration; and,


FIG. 10 is a right-side view thereof.

The dashed broken lines depict portions of the automobile connectivity device that form no part of the claimed design.


**1 Claim, 10 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**






FIG. 8



**FIG. 9**



**FIG. 10**