



US00D949733S

(12) **United States Design Patent**
Skinner

(10) **Patent No.:** **US D949,733 S**

(45) **Date of Patent:** **** Apr. 26, 2022**

- (54) **RING APPARATUS**
- (71) Applicant: **Jerry Skinner**, Weatherford, TX (US)
- (72) Inventor: **Jerry Skinner**, Weatherford, TX (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/691,023**
- (22) Filed: **May 13, 2019**

- 5,509,341 A * 4/1996 Dunlop G10D 3/173
84/322
- 5,973,243 A * 10/1999 Christenson G10D 3/173
84/322
- D430,814 S * 9/2000 Lauper D11/26
- D442,108 S * 5/2001 Cabarbaye D11/27
- D454,314 S * 3/2002 Stewart D11/27
- D456,734 S * 5/2002 Stewart D11/27
- D603,891 S * 11/2009 Whetstine D17/20
- D626,170 S * 10/2010 McNeely D17/20

(Continued)

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/672,424, filed on Dec. 5, 2018.
- (51) **LOC (13) Cl.** **11-01**
- (52) **U.S. Cl.**
USPC **D11/28**; D17/20
- (58) **Field of Classification Search**
USPC D11/1-25, 26-39; D29/113, 114;
D8/40, 18; D22/117; D17/20
CPC A44C 5/00; A44C 5/0007; A44C 5/0015;
A44C 5/0023; A44C 5/003; A44C
5/0038; A44C 5/0046; A44C 5/0053;
A44C 5/0061; A44C 5/0084; A44C
5/0092; A44C 9/00; A44C 9/0007; A44C
9/0015; A44C 9/0023; A44C 9/003; A44C
9/0038; A44C 9/0046; A44C 9/0053;
A44C 9/0061; A44C 9/0069; A44C
9/0076; A44C 9/0092; A44C 9/02; A44C
15/00; A44C 1/00; A44C 3/00; G10D
3/173; G10D 3/16; G10D 3/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D229,086 S * 11/1973 Bellamy D11/28
- 4,625,616 A * 12/1986 McVicker G10D 3/173
84/322
- 5,188,679 A * 2/1993 Kretchmer A44C 9/00
148/538

OTHER PUBLICATIONS

[Online] https://www.fender.com/en-US/accessories/picks/fender-thumb-picks/0981002303.html?gclid=Cj0KCQiAqvaNBhDLARIsAH1Pq53Pek6fQWZ_IVzB4kgSCIE6ev5bCrFXEUF6_J2PRU4UslQPfMi7L8YaArezEALw_wcB. Retrieved Dec. 18, 2021.*

Primary Examiner — Melanie Pellegrini

(74) *Attorney, Agent, or Firm* — Law Office of Jeff Williams PLLC; J. Oliver Williams

(57) **CLAIM**


The ornamental design for a ring apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a ring apparatus according to the present application.
FIG. 2 is a front view of the ring apparatus of FIG. 1.
FIG. 3 is a rear view of the ring apparatus of FIG. 1.
FIG. 4 is a right view of the ring apparatus of FIG. 1.
FIG. 5 is a left view of the ring apparatus of FIG. 1.
FIG. 6 is a top view of the ring apparatus of FIG. 1.
FIG. 7 is a bottom view of the ring apparatus of FIG. 1; and, FIG. 8 is an alternate front perspective view of the ring apparatus of FIG. 1.

The broken lines are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D891,972 S * 8/2020 Leclerc D11/4
D928,649 S * 8/2021 Coin D11/4

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8