

US00D949852S

(12) **United States Design Patent** (10) **Patent No.:** **US D949,852 S**
Ohtani et al. (45) **Date of Patent:** **** Apr. 26, 2022**

(54) **DATA OUTPUT INTERFACE**

(71) Applicant: **MITUTOYO CORPORATION**,
Kanagawa (JP)
(72) Inventors: **Shigeru Ohtani**, Kawasaki (JP);
Takayuki Yonezawa, Tokyo (JP); **Rie**
Arai, Kawasaki (JP); **Motohiro Osaki**,
Tokyo (JP)
(73) Assignee: **MITUTOYO CORPORATION**,
Kawasaki (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/737,880**

(22) Filed: **Jun. 12, 2020**

(30) **Foreign Application Priority Data**

Dec. 13, 2019 (JP) 2019-027689

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/357**; D14/358; D10/75

(58) **Field of Classification Search**
USPC D14/356, 357, 358, 432, 441, 488, 140,
D14/140.1, 150, 217, 257, 240, 496, 299,
D14/242, 125, 129, 130, 142, 155, 167,
D14/168, 172, 188, 195, 348, 351, 197,
D14/198, 230, 104.6, 300, 301, 312, 313,
D14/388; D13/123, 162, 162.1, 168, 173,
D13/177, 184, 199, 152, 158, 146;
D10/104.1, 106.1, 106.95, 46, 52, 53, 60,
D10/75, 80, 83, 94, 103, 122, 123-125,
D10/61, 62, 70, 71
CPC H04B 5/00; H04B 5/0025; H04B 5/0031;
H04B 5/0043; G06F 3/14; G06F 11/3041;
G06F 13/00; G06F 12/063; G06F
15/7839; G06F 15/786; A61B 90/06;
A61B 5/322; A61B 5/333; A61B 5/335;
G01B 3/205; G01B 2210/40; G01B 7/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,955,073 A * 5/1976 Carew G01B 7/02
702/161
D265,906 S * 8/1982 Steinbugler D14/242
(Continued)

OTHER PUBLICATIONS

Mitutoyo Data Processing Equipment. (Design—© Questel) orbit.
com. [online PDF of Foreign references] 78 pgs. Print Dates range
Apr. 13, 2020-Mar. 8, 2021. [Retrieved Dec. 16, 2021] <https://www.orbit.com/export/QPTUJ214/pdf2/552f123c-dbf6-40e8-9c5a-80cddb91ec8d-202050.pdf>.*

(Continued)

Primary Examiner — Marie D. Fast Horse
(74) *Attorney, Agent, or Firm* — Oliff PLC


(57) **CLAIM**

The ornamental design for a data output interface, as shown
and described.

DESCRIPTION

FIG. 1 is a front, left-side, top perspective view of the data
output interface;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left-side elevational view thereof;
FIG. 5 is a right-side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a reference view showing the data output interface
in a state of use within its environment.
The additional broken lines seen in FIG. 8 depict state of use
environment only and form no part of the claim; while all
other broken lines depict parts of the data output interface
that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8