



US00D950005S

(12) **United States Design Patent**
Hajek et al.

(10) **Patent No.:** **US D950,005 S**
(45) **Date of Patent:** **** Apr. 26, 2022**

(54) **BAIT NET CASTING DEVICE DESIGN**

(71) Applicants: **Brett C. Hajek**, Flatonia, TX (US);
Brandon M. Hajek, Flatonia, TX (US)

(72) Inventors: **Brett C. Hajek**, Flatonia, TX (US);
Brandon M. Hajek, Flatonia, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/735,953**

(22) Filed: **May 26, 2020**

(51) **LOC (13) Cl.** **22-05**

(52) **U.S. Cl.**
USPC **D22/135**

(58) **Field of Classification Search**
USPC D22/135, 121; D30/153; D7/667
CPC A01K 69/00; A01K 73/00; A01K 73/12;
A01K 74/00; A01K 77/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,723,481 A * 11/1955 Schwartz, Sr. A01K 73/12
43/7
- D239,639 S * 4/1976 Clarke D21/721
- 4,790,098 A * 12/1988 Lu A01K 73/12
43/7
- D828,649 S * 9/2018 Schmidt D30/153
- D897,486 S * 9/2020 Gore D22/135

OTHER PUBLICATIONS

<https://www.walmart.com/ip/Cyber-Monday-Sale-Deals-2021-CIBEE-New-Fishing-Net-Design-Copper-Spring-Shoal-Fishing-Net-Netting->

Fishing-Tackle/211435726?wmlspartner=wlp&selectedSellerId=101032822&&adid=2222222227000000000&w10=&w11=g&w12=c&w13=42423897272&w14=aud-393207457166:pla-51320962143&w15=9007751&w16=&w17=&w18=&w19=pla&w10=254286135&w111=online&w112=211435726&veh=sem&gclid=EAlalQobChMliKnXzbPc9AIVUQalCR0U0QEnEAQYBCABEgKW9fD_BwE&gclsrc=aw.ds (Year: 2021).*

* cited by examiner

Primary Examiner — Catherine R Oliver-Garcia
(74) *Attorney, Agent, or Firm* — Hulseley P.C.


(57) **CLAIM**

The ornamental design for a bait net casting device design, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a bait net casting device showing our new design;
FIG. 2 is a front elevational view of FIG. 1;
FIG. 3 is a rear elevational view of FIG. 1;
FIG. 4 is a right elevational view of FIG. 1;
FIG. 5 is a left side elevational view of FIG. 1;
FIG. 6 is a top plan view of FIG. 1;
FIG. 7 is a bottom plan view of FIG. 1;
FIG. 8 is an operational view showing the net being thrown where the wire extends illustrating the elasticity of netting;
FIG. 9 is another operational view where the user pulls the netting thereby the net; and,
FIG. 10 is a further operational view where the netting is fully contracted.
The broken lines are included for the purpose of illustrating features of the bait net casting device design that form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10