



US00D950062S

(12) **United States Design Patent** (10) **Patent No.:** **US D950,062 S**
Vuillemin et al. (45) **Date of Patent:** **** Apr. 26, 2022**

(54) **ROBOTIC INTERFACE**
(71) Applicant: **Brainlab AG**, Munich (DE)
(72) Inventors: **Jerome Vuillemin**, Munich (DE);
Elmar Schlereth, Munich (DE)
(73) Assignee: **BRAINLAB AG**, Munich (DE)
(**) Term: **15 Years**
(21) Appl. No.: **29/673,013**
(22) Filed: **Dec. 11, 2018**
(30) **Foreign Application Priority Data**
Jun. 12, 2018 (EM) 005308236
(51) **LOC (13) Cl.** **24-02**
(52) **U.S. Cl.**
USPC **D24/170**
(58) **Field of Classification Search**
USPC D24/170, 185, 187; D13/171, 174, 162;
D14/218; D10/106.7; D23/209
CPC A61H 1/0274; B01L 3/5082; H01H 25/06;
H01H 9/04
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D344,930 S 3/1994 Schaeffer
5,382,409 A * 1/1995 Baxter B01L 3/5082
220/732
5,631,453 A * 5/1997 Maeda H01H 9/04
200/6 A
D432,998 S * 10/2000 Decosse D13/174
6,186,896 B1 2/2001 Takeda et al.
D442,921 S * 5/2001 Bonn D13/174
6,359,243 B1 3/2002 Nakade et al.
D473,306 S 4/2003 Motoki et al.


D559,798 S * 1/2008 Neveu D13/174
D601,100 S 9/2009 Wahrenberg
8,207,466 B2 * 6/2012 Singh H01H 25/06
200/538
D689,827 S * 9/2013 Mayer D13/171
D700,149 S * 2/2014 Carlson D13/171
D701,608 S * 3/2014 Baba D24/187
8,834,169 B2 * 9/2014 Reinkensmeyer ... A61H 1/0274
434/247
D716,269 S * 10/2014 Kim D14/218
D725,050 S * 3/2015 Tsugawa D13/171
D742,770 S * 11/2015 Windstrup D10/106.7
D750,258 S * 2/2016 Crossley D24/170
D799,434 S 10/2017 Ott et al.
D840,360 S 2/2019 Scott
D844,571 S * 4/2019 Hoffknecht D13/162
D844,572 S * 4/2019 Hoffknecht D13/162
D846,127 S * 4/2019 Yang D24/185
D873,418 S * 1/2020 Scott D24/185
D880,602 S 4/2020 Ehara et al.
(Continued)

Primary Examiner — Rhea Shields
(74) *Attorney, Agent, or Firm* — Middleton Reutlinger
(57) **CLAIM**
The ornamental design for a robotic interface, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a robotic interface;
FIG. 2 is a first end view of the robotic interface of FIG. 1;
FIG. 3 is a top view of the robotic interface of FIG. 1;
FIG. 4 is a second end view of the robotic interface of FIG. 1; and,
FIG. 5 is a top perspective view of the robotic interface of FIG. 1.
In the drawings, the broken lines are for the purpose of illustrating portions of the robotic interface that forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D882,529 S	4/2020	Scott	
D883,239 S	5/2020	Fujino	
D890,295 S *	7/2020	Xu	D23/209
2005/0193857 A1	9/2005	Sunadome et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5