



US00D950160S

(12) **United States Design Patent** (10) **Patent No.:** **US D950,160 S**
Feher (45) **Date of Patent:** **** Apr. 26, 2022**

(54) **AIR CONDITIONED HARD HAT**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Steve Feher**, Honolulu, HI (US)

EP 0818156 1/1998
EP 1662924 6/2006

(72) Inventor: **Steve Feher**, Honolulu, HI (US)

(Continued)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/744,089**

Finally an Air-Conditioned Hard Hat is on the Horizon (on-line), dated Feb. 23, 2021. Retrieved from Internet Jan. 21, 2022, URL: <https://www.constructionjunkie.com/blog/2021/2/23/finally-an-air-conditioned-hard-hat-is-on-the-horizon> (4 pages) (Year: 2021).*

(22) Filed: **Jul. 27, 2020**

(Continued)

(51) **LOC (13) Cl.** **02-03**

(52) **U.S. Cl.**

USPC **D29/102**

(58) **Field of Classification Search**

USPC D29/102, 103, 106, 107, 108, 110, 122
CPC A42B 3/28; A42B 3/00; A42B 3/04; A42B 3/0406; A42B 3/06; A42B 3/062; A42B 3/283; A42B 3/281; A42B 3/285; A42B 3/286

See application file for complete search history.

Primary Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Cislo & Thomas, LLP

(57) **CLAIM**

The ornamental design for an air conditioned hard hat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an air conditioned hard hat showing my new design;
FIG. 2 is a bottom perspective view of the air conditioned hard hat of FIG. 1;
FIG. 3 is a front elevation view of the air conditioned hard hat of FIG. 1;
FIG. 4 is a rear elevation view of the air conditioned hard hat of FIG. 1;
FIG. 5 is a right side elevation view of the air conditioned hard hat of FIG. 1;
FIG. 6 is a left side elevation view of the air conditioned hard hat of FIG. 1;
FIG. 7 is a top plan view of the air conditioned hard hat of FIG. 1; and,
FIG. 8 is a bottom plan view of the air conditioned hard hat of FIG. 1.

The broken lines shown in the drawings illustrate portions of my air conditioned hard hat that form no part of the claimed design.



(56) **References Cited**

U.S. PATENT DOCUMENTS

3,223,086	A	12/1965	Denton	
D275,334	S *	9/1984	Pullin	D13/102
5,655,374	A	8/1997	Santilli et al.	
5,867,840	A	2/1999	Hirosawa et al.	
D468,062	S *	12/2002	Santiago	D29/103
6,904,616	B1	6/2005	Maki et al.	
6,932,150	B1	8/2005	Yeh et al.	
6,954,944	B2	10/2005	Feher	
6,990,691	B2	1/2006	Klotz et al.	
7,114,194	B2	10/2006	English	
D575,905	S *	8/2008	Davis	D29/102
7,827,620	B2	11/2010	Feher	
8,087,254	B2	1/2012	Arnold	
D694,384	S *	11/2013	Grzybowski	D23/370
D695,460	S *	12/2013	Slater	D29/102

(Continued)

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D712,634 S * 9/2014 Rivera D2/866
 D742,596 S * 11/2015 Peng D29/102
 9,241,529 B1 * 1/2016 Danelski A42B 3/286
 9,510,632 B2 * 12/2016 Perusse A42B 3/145
 9,510,633 B2 12/2016 Rudd et al.
 D782,116 S * 3/2017 Sanchez D29/104
 9,723,887 B2 * 8/2017 Kim F21V 7/0083
 D833,083 S * 11/2018 Feher D29/107
 10,299,525 B1 * 5/2019 Buckman F25B 21/02
 D853,652 S * 7/2019 Ho D29/102
 D853,653 S * 7/2019 Ho D29/102
 10,729,203 B2 8/2020 Krishnan
 D898,999 S * 10/2020 Friedman D29/102
 D899,033 S * 10/2020 Feher D2/866
 D933,303 S * 10/2021 Ho D29/102
 2006/0053529 A1 3/2006 Feher
 2008/0295220 A1 12/2008 Webb
 2009/0255025 A1 * 10/2009 Ochoa A42B 3/286
 2/7
 2010/0229285 A1 9/2010 Kindermann

2011/0078845 A1 4/2011 McKinney
 2011/0219506 A1 9/2011 Uttrachi
 2012/0167282 A1 * 7/2012 Fleming A42B 3/285
 2/410
 2013/0160195 A1 * 6/2013 Clement A42B 3/286
 2/437
 2019/0231016 A1 * 8/2019 Deshpande A42B 3/04

FOREIGN PATENT DOCUMENTS

JP 2001303353 10/2001
 JP 6023964 11/2016
 WO 2010045496 A2 4/2010
 WO 2012017836 2/2012

OTHER PUBLICATIONS

Minco. "Thermofoil Solutions for Heating." Flexible Heaters Design Guide, Apr. 16, 2016, <http://www.temflexcontrols.com/pdf/hs202a.pdf> (Year: 2016); 12 pages.

* cited by examiner

FIG. 1





FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8