



US00D950200S

(12) **United States Design Patent**
Rayner

(10) **Patent No.:** **US D950,200 S**

(45) **Date of Patent:** **** May 3, 2022**

(54) **KIT INCLUDING VISORS AND A CUP HOLDER IN A FRANGIBLE CONNECTION**

(71) Applicant: **Joshua Rayner**, Fordingbridge (GB)

(72) Inventor: **Joshua Rayner**, Fordingbridge (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/762,924**

(22) Filed: **Dec. 18, 2020**

(51) **LOC (13) Cl.** **02-03**

(52) **U.S. Cl.**
USPC **D2/876; D2/866**

(58) **Field of Classification Search**
USPC D2/865, 866, 869, 870, 871, 872, 873,
D2/874, 875, 876, 877, 879, 882, 883,
D2/884, 885, 886, 887, 888, 890, 891,
D2/892, 893, 895
CPC A42B 1/00; A42B 1/002; A42B 1/004;
A42B 1/006; A42B 1/084; A42B 1/0192;
A42B 1/02; A42B 1/06; A42B 1/201;
A42B 1/225
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,266,056 A * 8/1966 De Villers A42B 1/0192
2/12
- D271,629 S * 12/1983 De Lozada D2/875
- D282,405 S * 2/1986 De Lozada D2/866
- 4,920,576 A * 5/1990 Landis A41D 13/1184
2/9
- D352,378 S * 11/1994 Wise D2/869
- D364,953 S * 12/1995 Bell D2/882
- D403,141 S * 12/1998 De Lozada D2/875
- D621,137 S * 8/2010 Byrne D2/876
- D682,512 S * 5/2013 Andrews D2/875

- 8,635,713 B2 * 1/2014 Smith A42B 1/208
2/200.3
- D750,871 S * 3/2016 Caird D2/872
- D867,727 S * 11/2019 Aronson D2/891
- 2015/0052667 A1 * 2/2015 Wittemann A42B 3/227
2/410

* cited by examiner

Primary Examiner — Jasmine Mlinarcik

(74) *Attorney, Agent, or Firm* — Donn K. Harms

(57) **CLAIM**


The ornamental design for a kit including visors and a cup holder in a frangible connection, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the kit showing visors and a cup holder in a frangible connection;
 FIG. 2 is a bottom view thereof;
 FIG. 3 is a top perspective view thereof;
 FIG. 4 is a view of the visors and cup holder separated from the frangible connection of FIG. 1;
 FIG. 5 is a top view of the cup holder of the kit;
 FIG. 6 is a bottom view of the cup holder of the kit;
 FIG. 7 is a perspective view of the cup holder of the kit;
 FIG. 8 is a first side view of the cup holder of the kit folded;
 FIG. 9 is a second side view of the cup holder of the kit folded, opposite the view of FIG. 8;
 FIG. 10 depicts the cup holder of the kit holding cups;
 FIG. 11 shows a bottom view of a visor of the kit;
 FIG. 12 shows a top view of the visor of the kit of FIG. 11;
 FIG. 13 is a top perspective view of a visor of the kit; and,
 FIG. 14 depicts the visor of the kit of FIG. 13, configured for use.

The broken line showing of cups are for the purpose of illustrating the environment in which the design is associated, and form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14