



US00D950353S

(12) **United States Design Patent** (10) **Patent No.:** **US D950,353 S**
Dai (45) **Date of Patent:** **** May 3, 2022**

(54) **FINGERPRINT DOOR LOCK**

(71) Applicant: **SAFESKY TECHNOLOGY CO., LTD.**, Shenzhen (CN)

(72) Inventor: **Rui Dai**, Shenzhen (CN)

(73) Assignee: **SAFESKY TECHNOLOGY CO., LTD.**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/797,061**

(22) Filed: **Jun. 29, 2021**

(51) **LOC (13) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/302; D8/331**

(58) **Field of Classification Search**
USPC D8/300, 301, 302, 306, 313, 331, 336,
D8/337, 338, 350, 352
CPC ... Y10T 292/57; Y10T 16/44; Y10T 70/5155;
Y10T 70/5832; Y10T 292/1047; Y10T
16/458; Y10T 70/5757; Y10T 16/476;
Y10T 70/8541; Y10T 70/5765; Y10T
74/20732; Y10T 16/473; Y10T 292/1089;
Y10T 292/865; Y10T 70/7305; Y10T
292/097; Y10T 292/0938; Y10T 16/509;
Y10T 292/0834; Y10T 292/1014; Y10T
292/0959; Y10T 292/308; Y10T 70/489;
Y10T 74/20876; Y10T 70/80; Y10T
74/20828; Y10T 70/8459; Y10T
74/20864; Y10T 292/1064

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,267,939 A * 12/1941 McKenzie E05B 1/003
292/357
4,453,753 A * 6/1984 Fayerman E05B 65/104
292/357

5,364,139 A * 11/1994 Bergen E05C 1/163
292/358
6,264,255 B1 * 7/2001 Fortune E05C 1/163
292/336.3
D527,608 S * 9/2006 Antkowiak D8/302
7,819,443 B2 * 10/2010 Ryan E05B 63/06
70/210

(Continued)

Primary Examiner — Lauren R Calve


(57) **CLAIM**

The ornamental design for a fingerprint door lock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first component of a fingerprint door lock showing my new design, the second component thereof not shown for clarity of illustration; FIG. 2 is another perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a perspective view of a second component of the fingerprint door lock showing my new design, the first component thereof not shown for clarity of illustration; FIG. 10 is another perspective view thereof; FIG. 11 is a front elevational view thereof; FIG. 12 is a rear elevational view thereof; FIG. 13 is a left side elevational view thereof; FIG. 14 is a right side elevational view thereof; FIG. 15 is a top plan view thereof; FIG. 16 is a bottom plan view thereof; and, FIG. 17 is a perspective view of the fingerprint door lock including the first and second components. The broken lines in the drawings depict portions of the fingerprint door lock that form no part of the claimed design.

1 Claim, 17 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D691,450	S	*	10/2013	Weathersby		D8/301
D740,642	S	*	10/2015	Carlsson		D8/301
9,447,610	B2	*	9/2016	Ou		E05C 1/16
D818,795	S		5/2018	Morstatt		
10,844,633	B2	*	11/2020	Qiu		E05B 9/08
D916,577	S		4/2021	Min		
D931,081	S	*	9/2021	Kong		G07C 9/00174
						D8/336
D931,703	S	*	9/2021	Ingels		D8/308
2012/0019013	A1	*	1/2012	Bunker, II		E05C 1/16
						292/336.3

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17