



US00D950445S

(12) **United States Design Patent** (10) **Patent No.:** **US D950,445 S**
Atsuta (45) **Date of Patent:** **** May 3, 2022**

(54) **DISK BRAKE FRICTION PAD FOR VEHICLES**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **NISSIN KOGYO CO., LTD.**, Tomi (JP)

JP D 637187 S 10/1984
JP D 667994-1 S 12/1985
(Continued)

(72) Inventor: **Daiki Atsuta**, Tomi (JP)

OTHER PUBLICATIONS

(73) Assignee: **HITACHI ASTEMO, LTD.**, Hitachinaka (JP)

“Nissin Pad Type—R (Racing Pad)” Nissin., posted date Jul. 10, 2017 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL:<http://nissinbrakeperformance.com/nissinpadtype-r/>> (Year: 2017).*

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/752,897**

(22) Filed: **Sep. 29, 2020**

Primary Examiner — Darlington Ly

Assistant Examiner — Nasim Abdulaziz Ali

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm* — WHDA, LLP

Apr. 6, 2020 (JP) 2020-007189 D

(51) **LOC (13) Cl.** **12-16**

(57) **CLAIM**

(52) **U.S. Cl.**

USPC **D12/180**

The ornamental design for a disk brake friction pad for vehicles, as shown and described.

(58) **Field of Classification Search**

USPC D12/106, 114, 118, 122, 161, 162, 179, D12/180, 207, 217, 400

CPC F16D 65/0972; F16D 65/092; F16D 65/0006; F16D 65/0971; F16D 2200/0056

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS


D506,423 S * 6/2005 Matsumoto D12/180
D507,773 S * 7/2005 Ono D12/180
D631,410 S * 1/2011 Hiramori D12/180
D631,411 S * 1/2011 Hiramori D12/180
8,225,911 B2 * 7/2012 Lin F16D 65/092
188/73.37
D764,987 S * 8/2016 Radhakrishnan D12/180
D784,222 S * 4/2017 Buxton D12/180
D787,393 S * 5/2017 Buxton D12/180
10,041,554 B2 * 8/2018 Ishikawa F16D 65/0971

(Continued)

FIG. 1 is a front elevational view of a disk brake friction pad for vehicles, showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a cross-sectional view thereof, taken along line 7-7 of FIG. 1; and,
FIG. 8 is a front perspective view thereof.

The broken lines shown in the drawings illustrate portions of the disk brake friction pad for vehicles that are environmental structures and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

U.S. PATENT DOCUMENTS

10,487,894 B2 * 11/2019 Meggiolan B32B 15/14
11,098,772 B2 * 8/2021 Aonuma F16D 55/228
2005/0067235 A1 * 3/2005 Pham F16D 65/0971
188/250 B
2006/0157307 A1 * 7/2006 Tsurumi F16D 65/0971
188/250 G
2009/0014262 A1 * 1/2009 Camilo-Martinez
F16D 65/095
188/2 R
2009/0032343 A1 * 2/2009 Liu F16D 65/092
188/250 B
2010/0243385 A1 * 9/2010 Kaneko F16D 65/0972
188/73.31
2014/0360822 A1 * 12/2014 Kobayashi F16D 65/0971
188/250 E

FOREIGN PATENT DOCUMENTS

JP D 667994 S 12/1985
JP D 1151626 S 9/2002

“RP-X™ Racing Brake Pads” EBC Brakes., posted date May 8, 2020 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL:<https://ebcbrakes.com/products/rp-x-racing-brake-pads/>> (Year: 2020).*

“ACDelco 14D562CH Advantage Ceramic Front Disc Brake Pad Set” ACDelco., posted date Jun. 8, 2014 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL:<https://www.amazon.com/ACDelco-14D562CH-Advantage-Ceramic-Front/dp/B00KULEN3E>> (Year: 2014).*

“Nissin® NPO-160W-SA—Semi-Metallic Front Disc Brake Pads” Nissin., posted date Feb. 27, 2018 [online], [retrieved on Dec. 8, 2021]. Retrieved from the Internet <URL:<https://www.carid.com/zimmermann/coat-z-drilled-and-slotted-brake-rotor.html>> (Year: 2018).*

Decision to Grand Design Registration Dec. 18, 2020, issued in counterpart JP Application No. 2020-007189, with brief English translation.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

