



US00D950558S

(12) **United States Design Patent**
Yakushiji et al.

(10) **Patent No.:** **US D950,558 S**

(45) **Date of Patent:** **** May 3, 2022**

(54) **BASE ADAPTER FOR PROCESS CONTROL DEVICE**

(71) Applicant: **Mitsubishi Power, Ltd.**, Kanagawa (JP)

(72) Inventors: **Yuichi Yakushiji**, Yokohama (JP); **Koji Ikeda**, Yokohama (JP); **Tadayuki Mizoguchi**, Yokohama (JP); **Toshiki Matsuoka**, Yokohama (JP); **Yoshikane Yamanaka**, Yokohama (JP); **Kenji Umino**, Yokohama (JP); **Takashi Shigemitsu**, Yokohama (JP); **Yoshinari Shirasaka**, Yokohama (JP); **Shinichi Yamawaki**, Yokohama (JP); **Hitoshi Matsumura**, Yokohama (JP); **Kazuya Kanno**, Yokohama (JP); **Yusuke Oobu**, Yokohama (JP)

(73) Assignee: **MITSUBISHI POWER, LTD.**, Kanagawa-ken (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/748,176**

(22) Filed: **Aug. 27, 2020**

(30) **Foreign Application Priority Data**

Feb. 28, 2020 (JP) 2020-003874 D

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/432**

(58) **Field of Classification Search**
USPC D14/300–302, 308–313, 314, 348,
D14/353–355, 432, 439–446, 240;
361/679.02, 679.31, 679.5, 690, 694,
361/679.23, 801, 802; 312/332.1, 334.1;
D13/162; D10/50
CPC A45C 11/00; A45C 2011/003; B60R
11/0241; B60R 11/0252; F16M 13/00;
F16M 11/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,944,698	A *	7/1990	Siemon	H01R 31/02 439/144
D553,094	S *	10/2007	Pape	D13/158
D555,603	S *	11/2007	Pape	D13/162
D629,755	S *	12/2010	Oda	D13/147

(Continued)

FOREIGN PATENT DOCUMENTS

JP	D1478409	9/2013
JP	D1478410	9/2013

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Wenderoth, Lind & Ponack, L.L.P.

(57) **CLAIM**

The ornamental design for a base adapter for process control device, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a base adapter for process control device showing our new design;

FIG. 2 is a rear, bottom and right side perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side view thereof; and,

FIG. 8 is a left side view thereof.

The broken lines illustrate portions of the base adapter for process control device that form no part of the claimed design. The dash-dotted lines denote the boundary of the claim and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D650,744 S	*	12/2011	Smith	D13/133
D727,261 S	*	4/2015	Kishita	D13/110
D740,272 S	*	10/2015	Kishita	D14/300
D744,487 S	*	12/2015	Takano	D14/432
D831,655 S	*	10/2018	Jhun	D14/432
D832,257 S	*	10/2018	Jhun	D14/432
D832,258 S	*	10/2018	Jhun	D14/432

* cited by examiner




FIG.1





FIG. 2

FIG.3






FIG.4




FIG.5




FIG.6




FIG.7




FIG.8