



US00D951195S

(12) **United States Design Patent**  
**Nieh**

(10) **Patent No.:** **US D951,195 S**

(45) **Date of Patent:** **\*\* May 10, 2022**

(54) **VOLTAGE STABILIZER FOR IGNITION COIL**

(71) Applicant: **Ting-An Nieh**, Taichung (TW)

(72) Inventor: **Ting-An Nieh**, Taichung (TW)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/745,944**

(22) Filed: **Aug. 11, 2020**

(51) **LOC (13) Cl.** ..... **13-03**

(52) **U.S. Cl.**

USPC ..... **D13/126**; D13/123; D13/124

(58) **Field of Classification Search**

USPC ..... D7/387, 392.1; D9/434-436, 438, 439, D9/443, 446, 447, 449, 450-454, 456, D9/503, 690; D12/197; D13/103, 119, D13/123, 124, 126, 110, 149, 154, 156, D13/157, 162, 171; D15/136; D23/249, D23/259, 260, 262; D24/127, 224

CPC .... B67B 3/18; B65D 55/0854; B65D 51/145; H02P 9/22; H01T 13/04; H01T 13/06; H01T 13/44; H01F 38/12; H01F 27/29; F02P 15/00; F02P 13/00; F02F 1/242

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D51,893 S *	3/1918	Temple	.....	D13/156
1,882,460 A *	10/1932	Wallenta	.....	H01F 38/12
				336/94
2,036,488 A *	4/1936	Moore	.....	H02P 9/22
				338/104
2,076,912 A *	4/1937	Moore	.....	H02P 9/22
				338/104
2,701,865 A *	2/1955	Getz	.....	H01F 38/12
				336/96
3,041,562 A *	6/1962	Gammel, Sr.	.....	H01F 38/12
				336/96
D293,235 S *	12/1987	Loot	.....	D13/156
D363,909 S *	11/1995	Garnett	.....	D12/197
D615,864 S *	5/2010	Fuchs	.....	D9/453
D714,146 S *	9/2014	King	.....	D9/453

(Continued)

**OTHER PUBLICATIONS**

Nano Ground Dragon, Dec. 7, 2020, [online], [site visited Dec. 13, 2021], Available from internet, URL: <https://www.facebook.com/154309168820654/photos/pcb.503182337266667/503181997266701/?type=3&theater> (Year: 2020).\*

*Primary Examiner* — Shawn T Gingrich

*Assistant Examiner* — Bryan Nolan Melvin

(74) *Attorney, Agent, or Firm* — Karin L. Williams; Alan D. Kamrath; Mayer & Williams PC



(57) **CLAIM**

The ornamental design for a voltage stabilizer for ignition coil, as shown and described.

**DESCRIPTION**

FIG. 1 is a front side perspective view of a voltage stabilizer for ignition coil showing my design; FIG. 2 is a rear side perspective view of the voltage stabilizer for ignition coil as shown in FIG. 1; FIG. 3 is a front elevational view of the voltage stabilizer for ignition coil as shown in FIG. 1; FIG. 4 is a rear elevational view of the voltage stabilizer for ignition coil as shown in FIG. 1; FIG. 5 is a left side elevational view of the voltage stabilizer for ignition coil as shown in FIG. 1; FIG. 6 is a right side elevational view of the voltage stabilizer for ignition coil as shown in FIG. 1; FIG. 7 is a top plan view of the voltage stabilizer for ignition coil as shown in FIG. 1; and, FIG. 8 is a bottom plan view of the voltage stabilizer for ignition coil as shown in FIG. 1. The broken lines, shown in the drawings, indicate portions of the voltage stabilizer for ignition coil which form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D913,091 S \* 3/2021 Muller ..... D9/434  
2020/0312544 A1 \* 10/2020 Tsunenaga ..... H01T 13/44  
2021/0222663 A1 \* 7/2021 Boll ..... H01F 38/12

\* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8