



US00D951211S

(12)

United States Design Patent

Dimberg et al.

(10) Patent No.:

US D951,211 S

(45) Date of Patent:

** *May 10, 2022

(54) ILLUMINATED CONTROL DEVICE

(71) Applicant: Lutron Technology Company LLC,
Coopersburg, PA (US)

(72) Inventors: Chris Dimberg, Easton, PA (US);
Jason C. Killo, Emmaus, PA (US);
Daniel L. Twaddell, Allentown, PA
(US)

(73) Assignee: Lutron Technology Company LLC,
Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: 15 Years

(21) Appl. No.: 29/597,335

(22) Filed: Mar. 16, 2017

(51) LOC (13) Cl. 13-03

(52) U.S. Cl.
USPC D13/174

(58) Field of Classification Search
USPC D13/162, 168, 171, 173, 174; D7/393;
D8/310, 312
CPC H01H 3/12; H01H 3/122; H01H 9/02;
H01H 9/16; H01H 9/18; H01H 9/181;
H01H 9/182; H01H 13/023; H01H 13/04;
H01H 13/06; H01H 13/14; H01H
2009/187; H05B 39/02; H05B 39/04;
H05B 39/085; H05B 39/086; H05B
39/088; G08C 17/02; H03K 17/962


See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D335,283 S * 5/1993 Justiniano D13/171
5,392,388 A * 2/1995 Gibson G06F 3/04845
345/684
D544,618 S * 6/2007 Coushaine D26/37
D556,938 S * 12/2007 Russello D26/89
D558,692 S * 1/2008 Neveu D13/174

D633,231 S * 2/2011 Morrison D26/24
D633,644 S * 3/2011 Sprengers D26/89
D647,227 S * 10/2011 Kaule D26/24
D669,499 S * 10/2012 Gardner D14/495
8,786,196 B2 7/2014 Biery et al.
D727,928 S * 4/2015 Allison D14/485
D729,970 S * 5/2015 Jepson D26/89
D739,872 S * 9/2015 Bang D14/488
D744,535 S * 12/2015 Shin D14/489
D748,648 S * 2/2016 Kim D14/486
D752,072 S * 3/2016 Song D14/486
D755,037 S * 5/2016 Czerwinski, Jr. D8/300
D759,877 S * 6/2016 Hewitt D26/89
D761,277 S * 7/2016 Harvell D14/485
D761,812 S * 7/2016 Motamedi D14/485
D762,716 S * 8/2016 Yang D14/489
D763,308 S * 8/2016 Wang D14/486
D776,717 S * 1/2017 Asai D14/494
D777,200 S * 1/2017 Luo D14/488
D777,367 S * 1/2017 Ma D26/104
9,538,619 B2 1/2017 Swatsky et al.
D779,977 S * 2/2017 Jacob D10/50
9,565,742 B2 2/2017 Swatsky et al.
9,633,557 B2 4/2017 Dimberg et al.
D786,932 S * 5/2017 Kim D14/488
9,746,159 B1 * 8/2017 Fletcher F21V 15/01
D807,376 S * 1/2018 Mizono D14/485
D808,912 S * 1/2018 Dimberg D13/174
D810,970 S * 2/2018 Thompson D26/26
D814,428 S * 4/2018 Dimberg D13/174
D817,898 S * 5/2018 Seidl D13/164
10,041,639 B1 * 8/2018 Thompson F21S 8/00
D837,168 S * 1/2019 Altonen D13/174
D837,169 S * 1/2019 Altonen D13/174
D868,009 S * 11/2019 Dimberg D13/174
D868,010 S * 11/2019 Bard D13/174
D872,775 S * 1/2020 Becke D15/89
D892,750 S * 8/2020 Dimberg D13/171
D908,643 S * 1/2021 Dimberg D13/171
D921,595 S * 6/2021 Altonen D13/164
D921,596 S * 6/2021 Altonen D13/164
D922,334 S * 6/2021 Altonen D13/164
D922,965 S * 6/2021 Altonen D13/162
11,107,648 B2 * 8/2021 Duncan F21V 3/0625
2004/0109304 A1 * 6/2004 Yokoyama H01H 19/025
362/23.21
2007/0057922 A1 * 3/2007 Schultz G06F 3/03547
345/173
2007/0136679 A1 * 6/2007 Yang H04N 5/44513
715/772
2010/0175971 A1 * 7/2010 Kim B60R 25/04
200/313



2013/0242531	A1 *	9/2013	Urayama	G05G 1/105 362/23.22
2013/0328500	A1 *	12/2013	Toda	H05B 37/0209 315/292
2014/0117871	A1	5/2014	Swatsky et al.	
2015/0371534	A1	12/2015	Dimberg et al.	
2016/0128586	A1 *	5/2016	Parton	A61B 5/02405 600/479
2016/0196635	A1 *	7/2016	Cho	G06T 3/40 345/660
2016/0212368	A1 *	7/2016	Zhang	H04N 5/4403
2017/0185240	A1 *	6/2017	Delrosario	G06F 3/0488
2017/0278383	A1	9/2017	Dimberg et al.	
2017/0280533	A1	9/2017	Dimberg et al.	
2017/0352506	A1	12/2017	Dimberg	
2017/0354012	A1	12/2017	Bard et al.	
2017/0354021	A1	12/2017	Dimberg et al.	
2017/0354022	A1	12/2017	Dimberg et al.	
2017/0354023	A1	12/2017	Dimberg et al.	
2018/0005742	A1	1/2018	Newman, Jr. et al.	
2018/0116039	A1	4/2018	Harte et al.	
2020/0381191	A1 *	12/2020	Duncan	F21V 19/001
2021/0022231	A1 *	1/2021	Shivell	H01H 23/04
2021/0257170	A1 *	8/2021	Blair	H01H 13/70

OTHER PUBLICATIONS

Illuminated RGB Encoder; available May 31, 2017: <https://www.tindie.com/products/saimon/illuminated-rgb-encoder/>.*

Echo Inspire Control Stations, Echo Control Series; 2016; 5 pgs.; https://www.echoflexsolutions.com/files/7186L1009_Echo_Inspire_Control_Station_Datasheet_revG.pdf.*

ETC Echo Inspire Station User Manual; 2014; 4 pgs.; <https://www.manualsdir.com/manuals/559234/etc-echo-inspire-station.html?original=1>.*

Unison Echo Design Guide, 2018; 16 ps. ; <https://www.etcconnect.com/workarea/DownloadAsset.aspx?id=10737491166>.*

Lumenpulse-lumentone-spec-sheet, Sep. 25, 2017; 4 pgs.; https://www.lumenpulse.com/es/files/view-file/supportfiles/fb3d4259d36a9e7f562e587b0562baOc/325/locale_file/lumenpulse-lumentone-ltn-spec-sheet.pdf.*

Lumenpulse-lumentone brochure; Sep. 25, 2017; 6 pgs.*

Electronic Theatre Controls, Inc., Echo Inspire® Station Programming Guide, Software Version 2.0.1, Feb. 2015, 44 pages.

Electronic Theatre Controls, Inc., Echo Inspire® Control Stations, <URL:<https://www.etcconnect.com/Products/Architectural-Systems/Echo/Control-Stations/Inspire-Control-Stations/Features.aspx>>, available from Internet at least as early as Jul. 15, 2014 [site visited May 9, 2018].

Electronic Theatre Controls, Inc., Echo Inspire® Control Station: 4-Button with Fader Knob, photograph taken on May 8, 2018.

Legrand® / Pass & Seymour®, P&S Dimmers—DR Series Brochure, 2010, 2 pages.

Legrand®, Dimmers Brochure, 2015, 18 pages.

Lumenpulse™, Lumentone™ Specification Sheet, 2013, 4 pages.

Lumenpulse™, Lumentone™ Installation Instructions, 2013, 1 page.

Lumenpulse™, Lumentone™ Quick Reference Guide, 2015, 3 pages.

Ltech, LED Controller Touch RGB DMX/RF 4 Zones—DX8, <http://ltechled.eu/en/dmx/1293ledcontrollertouchdx8dmx.html>, available at least as early as Jun. 3, 2016.

Diode LED, DMX Wall Mount Controller, <https://www.diodeled.com/dmxwallmountcontroller.html>, available at least as early as Jun. 3, 2016.

Fontana Fountains, Glass-Touch RGB Controller, <http://www.fontanafountains.com/products/underwater-illumination/thSMARTLED-luminaires/glass-touch-rgb-controller>, available at least as early as Jun. 3, 2016.

Super Bright LEDs Inc., Wall Mount Touch Color RGB Controller, <https://www.superbrightleds.com/moreinfo/controllers/wall-mount-touch-color-rgb-controller-dynamic-color-changing-modes-3-amps-per-channel/1484/#/tab/Reviews>, available at least as early as Jun. 3, 2016.

Milight, RGBW Remote, <http://www.milight.com/milight-rgbw-remote/>, available at least as early as Jun. 3, 2016.

RGBzone, DC 12V-24V Wall-mounted Touch Panel Switch Controller Full Color LED Dimmer, https://www.amazon.com/RGBZONE-12V-24V-Wall-mounted-Switch-Controller/dp/BooRCEHNOI/ref=pd_sbs_60_2?_encoding=UTF8&pd_rd_i=BooRCEHNOI&pd_rd_r=XAXCT73G8T7VPDoHJDWK&pd_rd_w=2Fpri&pd_rd_wg=q5f29&pvc=1&refRID=XAXCT73G8T7VPDoHJDWK, available at least as early as Jun. 3, 2016.

EPBOWPT, DC 12-24V Wall-mounted Glass Touch Panel Full-color Dimmer Controller, https://www.aliexpress.com/store/product/DUMVOIN-Wall-mounted-Glass-Touch-Panel-Full-color-Dimmer-Controller-Wall-Switch-DC-12-24V-for/1916528_32542963626.html, available at least as early as Jun. 3, 2016.

Google Developers, 'Bridging the physical and digital. Imagine the possibilities. ATAP.—Google I/O 2016,' youtube.com [online], May 20, 2016 [retrieved May 5, 2017]. Retrieved from Internet: <<https://www.youtube.com/watch?v=8LO59eN9om4>>.

A Studios, 'A Studios Lumenpulse lighting tutorial 1,' youtube.com [online], Apr. 23, 2016 [retrieved May 5, 2017]. Retrieved from Internet: <<https://www.youtube.com/watch?v=lHv4-TkgYZQ>>.

U.S. Appl. No. 62/345,449, filed Jun. 3, 2016 (unpublished).

U.S. Appl. No. 62/345,222, filed Jun. 3, 2016 (unpublished).

U.S. Appl. No. 29/566,959, filed Jun. 3, 2016 (unpublished).

U.S. Appl. No. 29/566,966, filed Jun. 3, 2016 (unpublished).

U.S. Appl. No. 29/569,786, filed Jun. 30, 2016 (unpublished).

U.S. Appl. No. 29/569,814, filed Jun. 30, 2016 (unpublished).

U.S. Appl. No. 29/594,200, filed Feb. 16, 2017 (unpublished).

U.S. Appl. No. 29/594,202, filed Feb. 16, 2017 (unpublished).

* cited by examiner

Primary Examiner — Selina Sikder

(74) Attorney, Agent, or Firm — Saidman DesignLaw Group, LLC

(57)

CLAIM

The ornamental design for an illuminated control device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing the first state in a sequence of an illuminated control device of our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front perspective view thereof, showing a second state thereof;

FIG. 8 is a front view thereof;

FIG. 9 is a front perspective view thereof, showing a third state thereof;

FIG. 10 is a front view thereof;

FIG. 11 is a front perspective view thereof, showing a fourth state thereof;

FIG. 12 is a front view thereof;

FIG. 13 is a front perspective view thereof, showing a fifth state thereof;

FIG. 14 is a front view thereof;

FIG. 15 is a front perspective view thereof, showing a sixth state thereof;

FIG. 16 is a front view thereof;

FIG. 17 is a front perspective view thereof, showing a seventh state thereof;

FIG. 18 is a front view thereof;

FIG. 19 is a front perspective view thereof, showing an eighth state thereof;
 FIG. 20 is a front view thereof;
 FIG. 21 is a front perspective view thereof, showing a ninth state thereof;
 FIG. 22 is a front view thereof;
 FIG. 23 is a front perspective view thereof, showing a tenth state thereof;
 FIG. 24 is a front view thereof;
 FIG. 25 is a front perspective view of a second embodiment thereof, showing a first state thereof;
 FIG. 26 is a front view thereof;
 FIG. 27 is a front perspective view thereof, showing a second state thereof;
 FIG. 28 is a front view thereof;
 FIG. 29 is a front perspective view thereof, showing a third state thereof;
 FIG. 30 is a front view thereof;
 FIG. 31 is a front perspective view thereof, showing a fourth state thereof;
 FIG. 32 is a front view thereof;
 FIG. 33 is a front perspective view thereof, showing a fifth state thereof;
 FIG. 34 is a front view thereof;
 FIG. 35 is a front perspective view thereof, showing a sixth state thereof;

FIG. 36 is a front view thereof;
 FIG. 37 is a front perspective view thereof, showing a seventh state thereof;
 FIG. 38 is a front view thereof;
 FIG. 39 is a front perspective view thereof, showing an eighth state thereof;
 FIG. 40 is a front view thereof;
 FIG. 41 is a front perspective view thereof, showing a ninth state thereof;
 FIG. 42 is a front view thereof;
 FIG. 43 is a front perspective view thereof, showing a tenth state thereof; and,
 FIG. 44 is a front view thereof.
 The gray shaded elements depict illumination.
 The dashed broken lines illustrate portions of the illuminated control device, which form no part of the claimed design.
 In each of the first and second embodiments, the illuminated control device sequentially transitions from the first state to the last state in the sequence. The period with which one state transitions to another state forms no part of the claimed design.
 In the second embodiment, the left, right, top and bottom views are identical to those shown in FIGS. 3, 4, 5 and 6, respectively.

1 Claim, 22 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44