

US00D951409S

(12)

United States Design Patent
Svengalis

(10)

Patent No.: US D951,409 S

(45)

Date of Patent: ** May 10, 2022

(54) WINDSHIELD DEICER DRAW BAR

(71) Applicant: SBCD ENTERPRISES LLC, Los Angeles, CA (US)

(72) Inventor: David Svengalis, Los Angeles, CA (US)

(73) Assignee: SBCD Enterprises LLC, Los Angeles, CA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/744,172

(22) Filed: Jul. 27, 2020

Related U.S. Application Data

(60) Division of application No. 29/688,847, filed on Apr. 24, 2019, now Pat. No. Des. 893,966, which is a continuation-in-part of application No. 16/393,813, filed on Apr. 24, 2019.

(51) LOC (13) Cl. 12-16

(52) U.S. Cl. USPC D23/326; D8/29.2

(58) Field of Classification Search USPC D8/14, 29.1, 29.2, 30, 51; D12/155; D23/324, 326
CPC .. H05B 3/84; H05B 1/0236; H05B 2203/031; H05B 2203/014; H05B 2203/016; D06F 53/045
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

2,206,174 A * 7/1940 Falk D06F 53/045 211/119.1

2,490,154 A * 12/1949 Pearson F16G 11/12 211/119.15

2,865,514 A * 12/1958 Goodman D06F 53/045 211/119.15

2,872,047 A * 2/1959 Ostlund D06F 53/045 211/119.15

2,914,188 A * 11/1959 Hansen D06F 53/045 211/119.15

2,989,267 A * 6/1961 Mehl D06F 53/045 242/384.7

3,096,884 A * 7/1963 Leshner D06F 53/045 211/119.15

3,173,548 A * 3/1965 Hesener D06F 53/045 211/119.15

3,454,300 A * 7/1969 Barhorst B60J 11/025 296/95.1

3,477,660 A * 11/1969 Abraham D06F 53/045 242/379

3,584,745 A * 6/1971 Wrightson D06F 53/045 211/119.15

3,627,142 A * 12/1971 Steiner D06F 57/12 211/119.1

3,964,780 A * 6/1976 Naidu B60J 11/08 150/168

(Continued)

Primary Examiner — Philip S Hyder

(74) Attorney, Agent, or Firm — Fulwider Patton LLP

(57)


CLAIM

I, claim the ornamental design for a windshield deicer draw bar, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of my draw bar design, a dispenser being shown in broken lines;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a back view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a top view thereof.
The broken line structure is provided for purposes of environment and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




(56)

References Cited

U.S. PATENT DOCUMENTS

4,488,033	A *	12/1984	Trachtenberg	H05B 3/84 156/574
4,940,317	A *	7/1990	Reuben	A47G 1/02 219/219
4,971,848	A *	11/1990	Ruelle	H05B 3/84 428/38
5,016,762	A *	5/1991	Tsabar	D06F 53/045 160/265
D332,486	S *	1/1993	Cabral	D23/326
5,615,924	A *	4/1997	Owen	B60J 11/025 160/370.22
D397,834	S *	9/1998	Ho	D32/60
6,237,781	B1 *	5/2001	Dahl	B62H 3/12 211/17
D448,594	S *	10/2001	Throne	D6/575
6,901,988	B2 *	6/2005	Colson	E06B 7/086 160/168.1 R
8,087,712	B2 *	1/2012	Svengalis	B26D 1/553 296/96.15
D691,398	S *	10/2013	Chou	D6/580
D697,335	S *	1/2014	Dekker	D6/580
8,656,632	B1 *	2/2014	Mercier	A01K 91/18 43/27.4

* cited by examiner






FIG. 2




Fig. 3




Fig. 4



Fig. 5




FIG. 4

