



US00D951499S

(12) **United States Design Patent** (10) **Patent No.:** **US D951,499 S**
Minamiyama (45) **Date of Patent:** **** May 10, 2022**

(54) **REAR COMBINATION LAMP FOR AUTOMOBILE**

(71) Applicant: **Nissan Motor Co., Ltd.**, Kanagawa (JP)

(72) Inventor: **Shin Minamiyama**, Kanagawa (JP)

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/736,028**

(22) Filed: **May 27, 2020**

(30) **Foreign Application Priority Data**

Nov. 28, 2019 (JP) JP2019-026469

(51) **LOC (13) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D12/184; D26/28, 29, 30, 31, 32, 33, 34, D26/35, 36

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D596,323 S * 7/2009 Ishizuka D26/28
D614,331 S * 4/2010 Lamm D26/28

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1348563 S 1/2009
JP D1380503 S 2/2010

(Continued)

OTHER PUBLICATIONS

“370z DN Tail Lights” by Edgar Castro, Published Apr. 27, 2020 via YouTube. Accessed Sep. 20, 2021. URL: <https://www.youtube.com/watch?v=XK3KsvQQ-fo> (Year: 2020).*

Primary Examiner — Marissa J Cash

Assistant Examiner — Nishaad Sebastian Lorengo

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(57) **CLAIM**

The ornamental design for a rear combination lamp for an automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view thereof;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof; and,


FIG. 6 is a front side perspective view thereof.

The rear combination lamp is configured to be mounted to an automobile. The mounting structure and support structure of the rear combination lamp, shown in broken lines in FIGS. 2 to 6, form no part of the claimed design since the mounting structure and support structure are hidden when the rear combination lamp is mounted to the automobile.

In addition, the appearance of the rear side structures of the rear combination lamp as shown in broken lines in FIGS. 2 to 6 is for purpose of illustrating the boundaries of the exterior surface of the rear combination lamp, and forms no part of the claimed design. The rear combination lamp has a front lens that is transparent such that features behind the lens are at least partially visible as illustrated.

A second embodiment of my new design includes the mirror image of the rear combination lamp shown in FIGS. 1 to 6.

1 Claim, 6 Drawing Sheets



(58) Field of Classification Search

CPC .. F21S 41/25; F21S 41/15; F21S 41/30; F21S
 43/00; F21S 48/115; F21S 41/00; F21S
 41/141; F21S 41/162; F21S 41/20; F21S
 41/18; F21S 41/33; F21S 41/36; F21S
 41/60; F21V 19/00; F21V 21/04; F21W
 2103/35; F21W 2103/40; F21W 2104/00;
 F21W 2107/17; F21W 2107/13

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D617,924 S * 6/2010 George D26/28
 D663,873 S * 7/2012 Platto D26/28
 D713,980 S * 9/2014 Gotschke D26/28
 D812,260 S * 3/2018 Seo D26/28
 D812,266 S * 3/2018 Keskin D26/28
 D812,270 S * 3/2018 Minamiyama D26/28
 D862,750 S * 10/2019 Sakai D26/28
 D917,744 S * 4/2021 Hirata D26/28

FOREIGN PATENT DOCUMENTS

JP	D1445536 S	7/2012
JP	D1459000 S	1/2014
JP	D1459532 S	1/2014
JP	D1499544 S	6/2014
JP	D1507440 S	9/2014
JP	D1530847 S	8/2015
JP	D1517397 S	2/2016
JP	D1564046 S	2/2017
JP	D1564456 S	2/2017
JP	D1546052 S	3/2017
JP	D1546062 S	3/2017
JP	D1572311 S	3/2017
JP	D1564838 S	5/2017
JP	D1619881 S	12/2018
JP	D1599705 S	3/2019
JP	D1626577 S	3/2019
JP	D1578671 S	6/2019
JP	D1557614 S	8/2019
JP	D1619832 S	12/2019
JP	D1620706 S	12/2019
JP	D1624356 S	2/2020
JP	D1639961 S	6/2020
JP	D1648850 S	12/2020
JP	D1660841 S	5/2021

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6