



US00D951507S

(12) **United States Design Patent** (10) **Patent No.:** **US D951,507 S**
Eichelberger (45) **Date of Patent:** **** May 10, 2022**

(54) **LIGHTING DEVICE**

F21V 33/0008; F21V 5/00; F21V 5/008;
F21V 7/00

(71) Applicant: **Streamlight, Inc.**, Eagleville, PA (US)

See application file for complete search history.

(72) Inventor: **Cleatis Eichelberger**, East Norriton, PA (US)

(56) **References Cited**

(73) Assignee: **Streamlight, Inc.**, Eagleville, PA (US)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D322,135	S	*	12/1991	Wierzbicki	D26/24
D346,616	S	*	5/1994	Mouri	D16/239
D415,585	S	*	10/1999	Leung	D26/37
D483,503	S	*	12/2003	Krieger	D26/26
D491,289	S	*	6/2004	Krieger	D26/26
D498,551	S	*	11/2004	Chan	D26/37
D597,693	S	*	8/2009	Kauffman	D26/63
D665,114	S	*	8/2012	Werner	D26/37
D665,521	S	*	8/2012	Werner	D26/37
D665,522	S	*	8/2012	Werner	D26/37

(21) Appl. No.: **29/726,542**

(Continued)

(22) Filed: **Mar. 4, 2020**

(51) **LOC (13) Cl.** **26-02**

FOREIGN PATENT DOCUMENTS

(52) **U.S. Cl.**

USPC **D26/44**; D26/37

EP 3081844 B1 10/2019

(58) **Field of Classification Search**

USPC D26/24, 37-52, 60, 61, 63-64, 113, 118

Primary Examiner — Marissa J Cash

CPC F21Y 2115/10; F21Y 2113/13; F21Y

Assistant Examiner — William B Melliar

2115/30; F21Y 2113/10; F21Y 2103/10;

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP;

F21Y 2105/10; F21Y 2105/12; F21Y

James J. Aquilina

2107/70; F21Y 2113/17; F21Y 2113/20;

F21Y 2115/00; F21V 21/084; F21V

15/01; F21V 23/002; F21V 23/0414;

F21V 23/0492; F21V 21/0816; F21V

21/096; F21V 21/0965; F21V 21/145;

F21V 21/30; F21V 23/003; F21V

23/0471; F21V 5/04; F21V 14/06; F21V

17/02; F21V 23/023; F21V 23/0442;

F21V 14/025; F21V 14/04; F21V 17/007;

F21V 17/06; F21V 17/105; F21V 17/12;

F21V 21/002; F21V 21/0885; F21V

21/10; F21V 23/007; F21V 23/02; F21V

23/0428; F21V 23/0478; F21V 23/0485;

F21V 23/06; F21V 29/15; F21V 29/502;

F21V 29/56; F21V 29/58; F21V 29/59;

F21V 29/70; F21V 29/76; F21V 29/77;

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a left, front perspective view of a lighting device showing my new design;

FIG. 2 is a right, front perspective view thereof;

FIG. 3 is a right, rear perspective view thereof;

FIG. 4 is a left, rear perspective view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof;


FIG. 7 is a left side elevation view thereof;

FIG. 8 is a right side elevation view thereof;

FIG. 9 is a top plan view thereof; and,

FIG. 10 is a bottom plan view thereof.

(Continued)



The dashed broken lines in the Figures show portions of the lighting device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D709,211	S	*	7/2014	Calvin	D26/24
D797,340	S	*	9/2017	Cai	D26/65
D800,939	S	*	10/2017	Cai	D26/65
D807,539	S	*	1/2018	Li	D26/26
D854,212	S	*	7/2019	Yuan	D26/63
D854,718	S	*	7/2019	Yuan	D26/63
D855,233	S	*	7/2019	Qiu	D26/74
D861,945	S	*	10/2019	Fang	D26/63
D863,641	S	*	10/2019	Miyawaki	D26/63
D882,838	S	*	4/2020	Mao	D26/37
D890,395	S	*	7/2020	Bertken	D26/37
D911,564	S	*	2/2021	Wang	D26/37
D922,644	S	*	6/2021	Eichelberger	D26/63
D930,206	S	*	9/2021	Sharrah	D26/44
2019/0353332	A1	*	11/2019	You	F21V 23/0414

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10