



US00D951596S

(12) **United States Design Patent**
Steidle

(10) **Patent No.:** **US D951,596 S**
(45) **Date of Patent:** **** May 17, 2022**

(54) **APRON**

(71) Applicant: **Robert M. Steidle**, Malvern, PA (US)

(72) Inventor: **Robert M. Steidle**, Malvern, PA (US)

(73) Assignee: **Shen Manufacturing Company Incorporated**, West Conshohocken, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/734,261**

(22) Filed: **May 11, 2020**

(51) **LOC (13) Cl.** **02-02**

(52) **U.S. Cl.**
USPC **D2/861**

(58) **Field of Classification Search**
USPC D2/500, 501, 502, 740, 757, 775, 796,
D2/823, 824, 826, 827, 860, 861, 862,
D2/863, 864

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

944,553 A * 12/1909 Henderson A41D 13/04
2/51
1,403,287 A * 1/1922 Brisbane B65D 81/363
383/4

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Amber J Rabie

(74) *Attorney, Agent, or Firm* — John F. A. Earley, III;
Harding, Earley, Follmer & Frailey, P.C.

(57) **CLAIM**

The ornamental design for an apron, as shown and described.

DESCRIPTION

FIG. 1 is a view in front elevation of an apron showing my new design, with the mask portion of the apron being shown in a folded-down position.

FIG. 2 is a right-side elevational view of the apron shown in FIG. 1, the left-side elevational view of the apron shown in FIG. 1 being a mirror image of FIG. 2;

FIG. 3 is a view in rear elevation of the apron shown in FIG. 1;

FIG. 4 is a top plan view of the apron shown in FIG. 1; FIG. 5 is a bottom plan view of the apron shown in FIG. 1; FIG. 6 is a view in front elevation of the apron of FIG. 1, showing the mask portion of the apron in an extended position;

FIG. 7 is a right-side elevational view of the apron shown in FIG. 6, the left-side elevational view of the apron shown in FIG. 6 being a mirror image of FIG. 7;

FIG. 8 is a view in rear elevation of the apron shown in FIG. 6;

FIG. 9 is a top plan view of the apron shown in FIG. 6; FIG. 10 is a bottom plan view of the apron shown in FIG. 6;

FIG. 11 is a view in front elevation of a second embodiment of the apron, with the mask portion of the apron being shown in a folded-down position;

FIG. 12 is a right-side elevational view of the apron shown in FIG. 11, the left-side elevational view of the apron shown in FIG. 11 being a mirror image of FIG. 12;

FIG. 13 is a view in rear elevation of the apron shown in FIG. 11;

FIG. 14 is a top plan view of the apron shown in FIG. 11; FIG. 15 is a bottom plan view of the apron shown in FIG. 11;

FIG. 16 is a view in front elevation of the apron of FIG. 1, showing the mask portion of the apron in an extended position;

FIG. 17 is a right-side elevational view of the apron shown in FIG. 16, the left-side elevational view of the apron shown in FIG. 16 being the mirror image of FIG. 17;

FIG. 18 is a view in rear elevation of the apron shown in FIG. 16;

FIG. 19 is a top plan view of the apron shown in FIG. 16; and

FIG. 20 is a bottom plan view of the apron shown in FIG. 16;

(Continued)





FIG. 21 is a view in front elevation of a third embodiment of the apron, with the mask portion of the apron being shown in a folded-down position;
 FIG. 22 is a right-side elevational view of the apron shown in FIG. 21, the left-side elevational view of the apron shown in FIG. 21 being a mirror image of FIG. 22;
 FIG. 23 is a view in rear elevation of the apron shown in FIG. 21;
 FIG. 24 is a top plan view of the apron shown in FIG. 21;
 FIG. 25 is a bottom plan view of the apron shown in FIG. 21;
 FIG. 26 is a view in front elevation of the apron of FIG. 21, showing the mask portion of the apron in an extended position;
 FIG. 27 is a right-side elevational view of the apron shown in FIG. 26, the left-side elevational view of the apron shown in FIG. 26 being a mirror image of FIG. 27;
 FIG. 28 is a view in rear elevation of the apron shown in FIG. 26.
 FIG. 29 is a top plan view of the apron shown in FIG. 26;
 FIG. 30 is a bottom plan view of the apron shown in FIG. 26;
 FIG. 31 is a view in front elevation of a fourth embodiment of the apron, with the mask portion of the apron being shown in a folded-down position;
 FIG. 32 is a right-side elevational view of the apron shown in FIG. 31, the left-side elevational view of the apron shown in FIG. 31 being a mirror image of FIG. 32;
 FIG. 33 is a view in rear elevation of the apron shown in FIG. 31;
 FIG. 34 is a top plan view of the apron shown in FIG. 31;
 FIG. 35 is a bottom plan view of the apron shown in FIG. 31;
 FIG. 36 is a view in front elevation of the apron of FIG. 31, showing the mask portion of the apron in an extended position;
 FIG. 37 is a right-side elevational view of the apron shown in FIG. 36, the left-side elevational view of the apron shown in FIG. 36 being a mirror image of FIG. 37;
 FIG. 38 is a view in rear elevation of the apron shown in FIG. 36;

FIG. 39 is a top plan view of the apron shown in FIG. 36; and,
 FIG. 40 is a bottom plan view of the apron shown in FIG. 36.
 The broken lines show stitching on the apron that forms no part of the claimed design. The broken lines illustrating buttons on the apron show portions of the article that form no part of the claimed design.
 The apron is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.
 The cross hatching shown in the drawings indicates a material, such as fabric, only and does not represent any particular color, texture, pattern or finish.

1 Claim, 24 Drawing Sheets

(58) **Field of Classification Search**

CPC A41D 13/04; A41D 13/043; A41D 13/046;
 A41D 13/11; A41D 31/30; A41B 13/106;
 A41B 13/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,648,845	A *	8/1953	Berman	A41D 13/04 2/48
5,694,928	A *	12/1997	Hoftman	A41D 13/11 128/206.19
2005/0155606	A1 *	7/2005	Collins	A41D 13/11 128/206.29
2008/0092897	A1 *	4/2008	Behm	A41D 13/11 128/206.12
2016/0015097	A1 *	1/2016	Aligwekwe	A41D 13/11 128/863
2016/0199674	A1 *	7/2016	Johnson	A62B 18/02 600/549
2018/0352882	A1 *	12/2018	Bazzy	A41D 27/12

* cited by examiner



Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 5




Fig. 7




Fig. 6




Fig. 8




Fig. 9




Fig. 10




Fig. 12




Fig. 11




Fig. 13




Fig. 14




Fig. 15




Fig. 17




Fig. 16




Fig. 18




Fig. 19




Fig. 20



Fig. 22




Fig. 21




Fig. 23



Fig. 24




Fig. 25




Fig. 27




Fig. 26




Fig. 28




Fig. 29




Fig. 30




Fig. 32




Fig. 31




Fig. 33




Fig. 34




Fig. 35



Fig. 37




Fig. 36




Fig. 38




Fig. 39




Fig. 40