



US00D951665S

(12) **United States Design Patent** (10) **Patent No.:** **US D951,665 S**
Brombacher et al. (45) **Date of Patent:** **** May 17, 2022**

(54) **VEHICLE SEAT WITH ARM REST**

(71) Applicant: **GRAMMER AG**, Amberg (DE)

(72) Inventors: **Sandra Brombacher**, Donaueschingen (DE); **Richard Ott**, Kuemmersbruck (DE); **Raymond Carter**, Marina del Ray, CA (US)

(73) Assignee: **GRAMMER AG**, Ursensollen (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/722,375**

(22) Filed: **Jan. 29, 2020**

(30) **Foreign Application Priority Data**

Oct. 2, 2019 (EM) 006963674-0001

(51) **LOC (13) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**

USPC D6/334-336, 356, 367, 368, 374, 379,
D6/380, 716, 716.1, 716.2, 716.3, 716.4,
D6/716.5

CPC B60N 2/00; B60N 2/20; B60N 2/2222;
B60N 2/64; B60N 2/643; B60N 2/58;
B60N 2/646; B60N 2/68; B60N 2/682;
B60N 2/686; B60N 2/80; B60N 2/803;
B60N 2/806

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D428,719 S * 8/2000 Fick D6/356
D684,387 S * 6/2013 Ashley D6/356

D726,426 S * 4/2015 Carter D6/356
D819,991 S * 6/2018 Ott D6/356
D858,127 S * 9/2019 Carter D6/356
D891,134 S * 7/2020 Brombacher D6/356
D932,786 S * 10/2021 Brombacher D6/356
D932,788 S * 10/2021 Brombacher D6/356
2019/0038229 A1 * 2/2019 Perraut B60N 2/58

* cited by examiner

Primary Examiner — Mimoso De

(74) *Attorney, Agent, or Firm* — Von Rohrscheidt Patents

(57) **CLAIM**

The ornamental design for a vehicle seat with armrest, as shown and described.

DESCRIPTION

FIG. 1 illustrates a front slanted view of the vehicle seat with armrest showing the new design.

FIG. 2 illustrates a frontal view of the vehicle seat with armrest in FIG. 1.

FIG. 3 illustrates a left view of the vehicle seat with armrest in FIG. 1.

FIG. 4 illustrates a right view of the vehicle seat with armrest in FIG. 1.

FIG. 5 illustrates a top view of the vehicle seat with armrest in FIG. 1.

FIG. 6 illustrates the rear view of the vehicle seat with armrest in FIG. 1; and,

FIG. 7 illustrates a bottom view of the vehicle seat with armrest in FIG. 1.

1 Claim, 7 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7