



US00D951889S

(12) **United States Design Patent** (10) **Patent No.:** **US D951,889 S**
Mulpuri et al. (45) **Date of Patent:** **** May 17, 2022**

(54) **MULLION COVER**

(71) Applicant: **View, Inc.**, Milpitas, CA (US)

(72) Inventors: **Rao Mulpuri**, Saratoga, CA (US);
Nitesh Trikha, Pleasanton, CA (US);
Nayana Ghantiwala, San Jose, CA
(US); **Jue Wang**, San Jose, CA (US);
Anurag Gupta, San Jose, CA (US);
Christopher La Fontaine Whittall,
Los Gatos, CA (US); **Jonathan Ambat**
Corpuz, Fremont, CA (US); **Timothy**
Scott Hibbard, Menlo Park, CA (US)

(73) Assignee: **View, Inc.**, Milpitas, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/725,502**

(22) Filed: **Feb. 25, 2020**

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/184**

(58) **Field of Classification Search**
USPC D8/349, 350, 351, 352, 353, 354;
D13/139.1–139.8, 146, 147, 152, 154,
D13/156, 158, 169, 171, 173, 184
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,477,267 A * 7/1949 Robinson H04B 15/025
174/358
D194,585 S * 2/1963 Waring et al. D25/121
(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/725,496, filed Feb. 25, 2020, Mulpuri et al.
U.S. Appl. No. 29/725,499, filed Feb. 25, 2020, Mulpuri et al.

Primary Examiner — Keli L Hill

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — Weaver Austin
Villeneuve & Sampson LLP; Brian D. Griedel; Ryan Otis

(57) **CLAIM**

The ornamental design for a mullion cover, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of a mullion cover.

FIG. 2 is a rear view of the first embodiment of the mullion cover.

FIG. 3 is a right side view of the first embodiment of the mullion cover; the left side view would be a mirror image thereof (with some small variation due to the configuration of the break lines).

FIG. 4 is a bottom view of the first embodiment of the mullion cover; the top view is a mirror image thereof.

FIG. 5 is an isometric view of the first embodiment of the mullion cover.

FIG. 6 is a front view of a second embodiment of a mullion cover.

FIG. 7 is a rear view of the second embodiment of the mullion cover.


FIG. 8 is a right side view of the second embodiment of the mullion cover; the left side view would be a mirror image thereof (with some small variation due to the configuration of the break lines).

FIG. 9 is a bottom view of the second embodiment of the mullion cover; the top view is a mirror image thereof; and, FIG. 10 is an isometric view of the second embodiment of the mullion cover.

Stipple shading is used to show surface contouring of the embodiments of the mullion cover and is not indicative of surface texture.

The broken lines and a lack of stipple shading in the drawings illustrate portions of the embodiments of the mullion cover that form no part of the claimed design. The embodiments of the mullion cover are shown with symbolic breaks in their lengths that are indicated by curved break lines and further indicated by brackets spanning the sym-

(Continued)



bolic breaks. The appearance of any portions of the embodiments of the mullion cover between the break lines forms no part of the claimed design.
It is to be understood that, in order to assist the viewer in understanding the shape of the embodiments depicted in the Figures, some of the Figures may include “tangent edge” lines, which indicate where two surfaces meet in a smooth manner, e.g., the surfaces are tangent to each other where they meet. The tangent edge lines, which are shown as grey, lighter-weight broken lines, are not indicative of actual visible linear/edge features, but are merely provided for reference.

1 Claim, 4 Drawing Sheets

(58) **Field of Classification Search**
CPC H01B 1/00; Y10S 277/92; H04B 15/025
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,851,194 A * 11/1974 Kawada B06B 1/0644
310/345

5,041,698 A * 8/1991 Takagi H02G 3/18
174/66
5,083,248 A * 1/1992 Troy F21V 21/02
362/147
D327,212 S * 6/1992 Hubben D8/353
6,408,918 B1 * 6/2002 Hummell B32B 38/1841
156/391
D522,353 S * 6/2006 Wengrower D8/352
D551,536 S * 9/2007 Spira D8/353
D573,382 S * 7/2008 Brinkerhoff D6/702
D579,696 S * 11/2008 Houry D6/390
7,819,730 B2 * 10/2010 Ascroft F24F 13/082
454/289
D642,894 S * 8/2011 Soper D8/353
8,058,570 B2 * 11/2011 Solan H02G 3/123
174/502
8,410,362 B1 * 4/2013 Lin H02G 3/14
174/66
D725,638 S * 3/2015 Hofman D14/239
D729,612 S * 5/2015 de Peralta D8/350
D837,389 S * 1/2019 Mangus D24/187
D840,403 S * 2/2019 Wolff D14/432
10,641,518 B2 * 5/2020 Kennedy F24F 13/068

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10