



US00D952013S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D952,013 S**
(45) **Date of Patent:** **** May 17, 2022**

(54) **DUAL CAMERA**

(71) Applicant: **GETAC TECHNOLOGY CORPORATION**, Hsinchu County (TW)

(72) Inventor: **Chun-Hsing Li**, Taipei (TW)

(73) Assignee: **GETAC TECHNOLOGY CORPORATION**, Hsinchu County (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/725,597**

(22) Filed: **Feb. 26, 2020**

(51) **LOC (13) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/200**; D16/203

(58) **Field of Classification Search**
USPC D16/200–204, 205–211
CPC G03B 15/03; G03B 15/05; G03B 17/02;
G03B 17/56; G03B 2219/02; H04N
5/2251; H04N 5/2252; H04N 5/2253;
H04N 5/2254; H04N 5/22525; H04N
5/232939; H04N 2101/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D695,809 S	*	12/2013	Katori	D16/203
D761,340 S	*	7/2016	Pacurariu	D16/202
D795,947 S	*	8/2017	Chong	D16/202
D796,569 S	*	9/2017	Chang	D16/218
D807,944 S	*	1/2018	Worthington	D16/218

(Continued)

FOREIGN PATENT DOCUMENTS

JP	D1670108	*	10/2020
JP	D1687670	*	6/2021

OTHER PUBLICATIONS

“Swann Pan & Tilt Indoor Home Security Camera, Remote Control Camera Movement, Full HD 1080p Video, WiFi Connection, Night

Vision, Alexa/Google (SWIFI-PTCAM232GB-GL)” from Amazon.com, first available Jun. 11, 2020 from the internet <https://www.amazon.com/dp/B08B2QP519/ref=sspa_dk_detail_2?pd_rd_w=QHpaA7&pf_rd_p=b9951ce4-3bd8-4b04-9123-0fda35d6155e&pd_rd_wg=g1X4I&pf_rd_r=F7ZMM0NZHSD0666X35Y5&pd_rd_r=1b85b672-145b-44f2-a28f-420f60106c2a&s=photo&spLa=ZW5jc nIwdGVkUXVhbGImaWVyPUEySU85RVdSWklwN1NXJmVuY 3J5cHRIZEIkPUEwNTI3MjY5MURFUzIKUjg5N0g3QiZlbnNye XB0ZWRBZEIkPUEwOTkyODE5M0Y1Mzc0SDVXMjQIRCZ3a WRnZXROYW1IPXNwX2RIdGFpbCZhY3Rpb249Y2xpY2tSZW RpcmVjdCZkb05vdExvZ0NsaWNrPXRydWU&th=1>> (Year: 2020).*

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Lacey Chey Bowman


(57) **CLAIM**

The ornamental design for a dual camera, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of a dual camera, showing my new design;
FIG. 2 is a top, rear, and left side perspective view thereof;
FIG. 3 is a bottom, rear, and left side perspective view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a right side view thereof;
FIG. 8 is a top view thereof;
FIG. 9 is a bottom view thereof;
FIG. 10 is a top, front, and right side perspective view thereof showing one of cameras being rotated relative to the other;
FIG. 11 is a top, rear, and left side perspective view thereof showing one of cameras being rotated relative to the other;
and,
FIG. 12 is a bottom, rear, and left side perspective view thereof showing one of cameras being rotated relative to the other.

(Continued)



The broken lines in the figures illustrate the portions of the dual camera that form no part of the claimed design.

1 Claim, 12 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D819,105 S *	5/2018	Kitade	D16/202
D880,557 S *	4/2020	Siminoff	D16/203
D899,482 S *	10/2020	Li	D10/118.2
D902,977 S *	11/2020	England	D16/203
D931,358 S *	9/2021	England	D16/219
2017/0127912 A9*	5/2017	Morrisette et al.	A61B 1/00057

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12