



US00D952214S

(12) **United States Design Patent** (10) **Patent No.:** **US D952,214 S**
Sharrah et al. (45) **Date of Patent:** **** May 17, 2022**

(54) **LIGHTING DEVICE**

(71) Applicant: **Streamlight, Inc.**, Eagleville, PA (US)

(72) Inventors: **Raymond L. Sharrah**, Collegeville, PA (US); **Cleatis Eichelberger**, East Norriton, PA (US)

(73) Assignee: **Streamlight, Inc.**, Eagleville, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/688,751**

(22) Filed: **Apr. 24, 2019**

F21V 29/70; F21V 29/76; F21V 29/77;
F21V 33/0008; F21V 5/00; F21V 5/008;
F21V 7/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D603,986 S * 11/2009 Kuo D26/37
D709,211 S * 7/2014 Calvin D26/24
D760,926 S * 7/2016 Cugini D26/24
D866,027 S * 11/2019 Cacciabeve D26/37
D870,324 S * 12/2019 McAlpine D26/24

(Continued)

OTHER PUBLICATIONS

Streamlight Enduro LED Headlamp, [online], [Retrieved from the internet May 7, 2019] URL: <<https://www.amazon.com/Streamlight-61400-Enduro-Headlamp-Black/dp/B000JWD114>>.

Primary Examiner — Marissa J Cash

Assistant Examiner — William B Melliar

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP;
James J. Aquilina

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lighting device showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The dashed broken lines in the Figures show portions of the lighting device that form no part of the claimed design.

1 Claim, 5 Drawing Sheets

Related U.S. Application Data

(63) Continuation of application No. 29/586,217, filed on Dec. 1, 2016, now Pat. No. Des. 851,307.

(51) **LOC (13) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/39**

(58) **Field of Classification Search**

USPC D26/24, 37–52, 113, 118

CPC F21Y 2115/10; F21Y 2113/13; F21Y

2115/30; F21Y 2113/10; F21Y 2103/10;

F21Y 2105/10; F21Y 2105/12; F21Y

2107/70; F21Y 2113/17; F21Y 2113/20;

F21Y 2115/00; F21V 21/084; F21V

15/01; F21V 23/002; F21V 23/0414;

F21V 23/0492; F21V 21/0816; F21V

21/096; F21V 21/0965; F21V 21/145;

F21V 21/30; F21V 23/003; F21V

23/0471; F21V 5/04; F21V 14/06; F21V

17/02; F21V 23/023; F21V 23/0442;

F21V 14/025; F21V 14/04; F21V 17/007;

F21V 17/06; F21V 17/105; F21V 17/12;


F21V 21/002; F21V 21/0885; F21V

21/10; F21V 23/007; F21V 23/02; F21V

23/0428; F21V 23/0478; F21V 23/0485;

F21V 23/06; F21V 29/15; F21V 29/502;

F21V 29/56; F21V 29/58; F21V 29/59;



(56) **References Cited**

U.S. PATENT DOCUMENTS

D875,284	S	*	2/2020	Cacciabeve	D26/37
10,670,201	B1	*	6/2020	Noble	F21L 4/005
D893,069	S	*	8/2020	Bertken	D26/37
D898,965	S	*	10/2020	Eichelberger	D26/39
D903,175	S	*	11/2020	Lei	D26/63
D911,564	S	*	2/2021	Wang	D26/37
2015/0192282	A1	*	7/2015	Ormsbee	F21V 21/30
					315/307
2018/0202207	A1	*	7/2018	Eichelberger	F21V 21/30

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7