



US00D952279S

(12) **United States Design Patent** (10) **Patent No.:** **US D952,279 S**
Johnson (45) **Date of Patent:** **** May 17, 2022**

(54) **CLEANING DEVICE WITH A MICROPHONE SHAPED END**

FOREIGN PATENT DOCUMENTS

JP D1147804 * 7/2002

(71) Applicant: **Mya Johnson**, Lantana, FL (US)

OTHER PUBLICATIONS

(72) Inventor: **Mya Johnson**, Lantana, FL (US)

Mic on Goosneck, Reverb website 2022, site visited Feb. 16, 2022, <https://reverb.com/p/on-stage-djm618-audio-spectrum-18-professional-goosneck-mic?> . . . *

(**) Term: **15 Years**

(21) Appl. No.: **29/756,217**

Primary Examiner — John R Yeh

(22) Filed: **Oct. 27, 2020**

(74) *Attorney, Agent, or Firm* — Derek Fahey, Esq.; The Plus IP Firm, PLLC

(51) **LOC (13) Cl.** **07-05**

(52) **U.S. Cl.**
USPC **D32/51**

(58) **Field of Classification Search**
USPC D21/526; D32/17–18, 21–22, 45, 50–52;
D14/228

(57) **CLAIM**

CPC A61B 6/501; A63H 33/305
See application file for complete search history.

The ornamental design for a cleaning device with a microphone shaped end, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

D250,137 S	*	10/1978	Dorfman	D21/513
D284,897 S	*	7/1986	Rubio	D32/51
D338,090 S	*	8/1993	Kamiyama	D32/45
D362,754 S	*	10/1995	Martini	D4/137
D383,578 S	*	9/1997	Ho	D32/22
D384,456 S	*	9/1997	Jurica	D4/135
D398,099 S	*	9/1998	Leung	D32/22
D407,407 S	*	3/1999	Okon	D14/228
D420,774 S	*	2/2000	Schupp	D32/22
D424,263 S	*	5/2000	Canni Ferrari	D32/22
D482,530 S	*	11/2003	Evans	D4/102
D607,441 S	*	1/2010	Yamakawa	D14/225
D613,013 S	*	3/2010	Renner	D32/51
D635,774 S	*	4/2011	Butts	D4/135
D672,107 S	*	12/2012	Van Lingham, Jr.	D32/50
D835,871 S	*	12/2018	Breit	D32/50
D866,899 S	*	11/2019	Harrington	D32/52
D872,403 S	*	1/2020	Harrington	B65D 47/06
					D32/45
D881,494 S	*	4/2020	Harrington	D32/52

FIG. 1 is a first perspective view for a cleaning device with a microphone shaped end having a cleaning part attached; FIG. 2 is a second perspective view without the cleaning part attached;

FIG. 3 is a first side view thereof;

FIG. 4 is a second side view thereof;

FIG. 5 is a front view thereof;


FIG. 6 is a rear view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The cleaning part shown in FIG. 1 is directed to environment of the cleaning device with a microphone shaped end and forms no part of the claimed design. The other broken lines in the drawings depict portions of the cleaning device with a microphone shaped end that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D892,090 S * 8/2020 Xiang D14/228
D934,521 S * 10/2021 Piksa D32/45

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8