



US00D952462S

(12) **United States Design Patent**
Yang

(10) **Patent No.:** **US D952,462 S**

(45) **Date of Patent:** **** May 24, 2022**

(54) **RING-PEEL-SEAL LINER**

Y10T 292/0938; Y10T 292/0834; Y10T
292/1014; Y10T 292/0959; A61J 1/00;
A61J 1/1412

(71) Applicant: **YNB SUPPLY (ASIA)**
CORPORATION, New Taipei (TW)

See application file for complete search history.

(72) Inventor: **Yen-Wu Yang**, New Taipei (TW)

(56) **References Cited**

(73) Assignee: **YNB SUPPLY (ASIA)**
CORPORATION, New Taipei (TW)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

1,312,581 A * 8/1919 Schmitt B65D 41/62
215/254
D200,607 S * 3/1965 Bozek D9/438
D200,608 S * 3/1965 Bozek D9/438
D205,426 S * 8/1966 Dunn D9/438

(21) Appl. No.: **29/712,314**

(Continued)

(22) Filed: **Nov. 7, 2019**

OTHER PUBLICATIONS

(30) **Foreign Application Priority Data**

May 7, 2019 (CN) 201930217965.X

Clean Ring Peel Induction Seal: Site Visited [Mar. 18, 2022].
Available from Internet URL: https://www.alibaba.com/product-detail/Clean-ring-peel-induction-seal-foam_1770464608.html.*

(51) **LOC (13) Cl.** **09-07**

(Continued)

(52) **U.S. Cl.**
USPC **D9/438**

Primary Examiner — Catherine S Posthauer
(74) *Attorney, Agent, or Firm* — Schmeiser, Olsen &
Watts, LLP

(58) **Field of Classification Search**
USPC D3/202; D7/509, 510, 511, 387, 391,
D7/392, 392.1, 393, 396, 396.1, 396.2,
D7/397, 398, 400, 414; D9/434, 435,
D9/436, 438, 443, 445, 452, 453, 454,
D9/455, 499, 686, 690; D8/330, 331,
D8/336, 337, 339, 342, 343, 382;
D23/259, 260, 261, 265; D24/121, 162,
D24/199, 224; D28/18; D10/128;
D11/200; D13/168, 171; D26/28, 123,
D26/124

(57) **CLAIM**


The ornamental design for a ring-peel-seal liner, as shown
and described.

CPC B65D 41/02; B65D 41/10; B65D 41/62;
B65D 41/46; B65D 41/465; B65D
2251/009; B65D 2251/0015; B65D 51/20;
B65D 17/02; B65D 2401/20; B65D
2251/0071; B65D 2251/20; B65D 1/00;
B65D 1/02; B65D 1/10; B65D 1/46;
B65D 2585/56; B65D 2585/545; B65D
50/06; A63B 39/025; A63B 2102/02;
E05B 55/00; Y10T 292/1047; Y10T
292/1089; Y10T 292/865; Y10T 292/097;

DESCRIPTION

FIG. 1 is a perspective view of a ring-peel-seal liner showing
my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines shown represent unclaimed subject matter
and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,278,063 A * 10/1966 Kranzhoff B65D 51/002
215/303
3,598,272 A * 8/1971 Bustamante B65D 41/42
428/43
D313,755 S * 1/1991 Piltz D9/438
D314,338 S * 2/1991 Piltz D9/438
D350,688 S * 9/1994 Wardell, Jr. D9/435
D419,371 S * 1/2000 Haley D7/392.1
D467,500 S * 12/2002 Cudmore D9/454
D468,153 S * 1/2003 Seager D7/392.1
D480,264 S * 10/2003 de Groote D7/392.1
D482,232 S * 11/2003 Zettle D7/392.1
D488,345 S * 4/2004 de Groote D7/392.1
D515,865 S * 2/2006 Kim D7/392.1
D515,928 S * 2/2006 Pace D9/504
D554,017 S * 10/2007 Hampton D10/119.1
D573,881 S * 7/2008 Decker D9/454
D634,629 S * 3/2011 McKenzie D9/438
D701,121 S * 3/2014 McGeough D9/449
D708,943 S * 7/2014 van Goolen D9/438
D721,045 S * 1/2015 Gratz D13/173
D734,436 S * 7/2015 Raether D23/259
D752,915 S * 4/2016 Castriota D7/354
D771,489 S * 11/2016 Azelton D9/435
D798,147 S * 9/2017 Sanfilippo D9/449
D799,318 S * 10/2017 Wei D9/438
D801,811 S * 11/2017 Wei D9/438
D801,812 S * 11/2017 Wei D9/438
D802,417 S * 11/2017 Köberl D9/438
D805,885 S * 12/2017 Karmarkar D8/382
D810,564 S * 2/2018 Wei D9/438
D839,727 S * 2/2019 Wei D9/438
D840,224 S * 2/2019 Wei D9/438

D849,536 S * 5/2019 Trombetta D9/454
D871,609 S * 12/2019 Isozaki D24/224
D905,270 S * 12/2020 Katsumata D24/224
D929,226 S * 8/2021 Floco D9/436
D939,955 S * 1/2022 Jüngst D9/435
2012/0187126 A1 * 7/2012 Shemesh B65D 17/4012
220/266
2016/0167840 A1 * 6/2016 Kleppsch B65D 55/0863
215/256
2016/0272385 A1 * 9/2016 Klatt B65D 51/18
2020/0122897 A1 * 4/2020 Yang B65D 33/20
2021/0016924 A1 * 1/2021 Yang B65D 77/206

OTHER PUBLICATIONS

BERICAP Ring Peel Liner: Announced Aug. 11, 2021 [online]. Site Visited [Mar. 18, 2022]. Available from Internet URL: https://www.bericap.com/en/Products_Markets/Performance/Consumer_convenience.php.*

Innovative Induction Sealing Liner: Announced Apr. 17, 2017 [online]. Site Visited [Mar. 18, 2022]. Available from Internet URL: <https://www.youtube.com/watch?v=4zw82boZsi4>.*

Accessible Flip Cap Closure: Announced [May 3, 2018 [online]. Site Visited [Mar. 18, 2022]. Available from Internet URL: <https://www.packagingnews.com.au/news/pida-awards-2018-accessible-flip-cap-closure>.*

BERICAP Ring Peel Liner: Announced [Nov. 19, 2019 [online]. Site Visited [Mar. 18, 2022]. Available from Internet URL: <https://www.youtube.com/watch?v=3NZqHQiullM>.*

Ring Peel: Announced Feb. 24, 2021 [online]. Site Visited [Mar. 18, 2022]. Available from Internet URL: <https://www.sealnpack.kr/ring-peel-liner>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7