



US00D952748S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D952,748 S**
(45) **Date of Patent:** **** May 24, 2022**

(54) **FRIES GAME BOARD**

(71) Applicant: **Dongguan Yuansheng Technology Co., Ltd.**, Dongguan (CN)

(72) Inventor: **Lingchen Li**, Dongguan (CN)

(73) Assignee: **Dongguan Yuansheng Technology Co., Ltd.**, Dongguan (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/782,770**

(22) Filed: **May 9, 2021**

(30) **Foreign Application Priority Data**

Apr. 16, 2021 (EM) 008505606-0001

(51) **LOC (13) Cl.** **21-01**

(52) **U.S. Cl.**

USPC **D21/338**; D21/350; D21/368

(58) **Field of Classification Search**

USPC D21/300, 338, 341, 350, 377, 385, 468, D21/473-475, 478, 483, 493, 507, 525, D21/627, 811; D19/103, 104, 59, 60, 64, D19/97; D24/193-195, 200, 211-215; D7/506, 551.3, 556, 702, 628, 357, 359, D7/675, 389; D15/90, 135, 136; D99/28, 34, 99; D9/643, 644

CPC A63F 3/00173; A63F 3/0023; A63F 3/00415; A63F 3/00574; A63F 3/00176; A63F 3/00214; A63F 2003/00258; A63F 2003/00394; A63F 2003/00397; A63F 2003/004; A63F 2003/00504; A63F 2003/00697; A63F 2003/00826; A63F 9/00; A63F 9/001; A63F 9/06; A63F 9/0602; A63F 2009/0003; A63F 2009/0004; A63F 2009/0007; A63F 2009/0027; A63F 2009/0047; A63F 2009/0049; A63F 2250/18; A63F 2250/025; A63F 2250/027; A63F 2250/48; A63F 2250/482; A63F

2250/483; A63F 2250/54; G09B 1/00; G09B 1/204; G09B 1/06; G09B 1/26; A61H 2205/065; A61H 2205/067; A63H 33/00; A63H 33/006; A63H 33/18; A63H 33/30; A63H 33/42; A63H 3/003; A63H 3/04; A63H 3/14; A63H 3/26; A63H 5/00; A63B 23/16; A61J 17/00; A61J 17/001; A61J 17/02; A61J 17/109; A61J 17/111; A61J 17/1111

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D242,055 S * 10/1976 Brown 273/270
4,045,013 A * 8/1977 Coster A63B 71/0672
273/281

(Continued)

FOREIGN PATENT DOCUMENTS

CN 304333666 * 10/2017
DE 10339285 B3 * 11/2004 A63F 3/00697

(Continued)

Primary Examiner — Catherine A Tuttle


(57) **CLAIM**

The ornamental design for a fries game board, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a fries game board showing my new design;
FIG. 2 is a back perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|------------------|----------------------|
| 4,754,963 | A * | 7/1988 | Dowd | A63B 23/16 482/49 |
| D327,973 | S * | 7/1992 | Copp | D1/101 |
| D343,432 | S * | 1/1994 | Pachol | D21/586 |
| 5,484,318 | A * | 1/1996 | Mayert | A63F 9/00 446/491 |
| D427,260 | S * | 6/2000 | Burr | D1/120 |
| D660,972 | S * | 5/2012 | Diamond | D24/200 |
| D814,044 | S * | 3/2018 | Munsey | D24/200 |
| D903,777 | S * | 12/2020 | Carson | D21/468 |
| D908,811 | S * | 1/2021 | Carson | D21/468 |
| D915,522 | S * | 4/2021 | Rees | D21/360 |
| D924,336 | S * | 7/2021 | Yu | D21/341 |
| D937,358 | S * | 11/2021 | Chen | D21/348 |
| D941,398 | S * | 1/2022 | Zhang | D21/468 |
| D943,026 | S * | 2/2022 | Yu | D21/350 |
| D944,329 | S * | 2/2022 | Deng | D21/468 |
| D944,332 | S * | 2/2022 | Yu | D21/468 |
| 2016/0030853 | A1 * | 2/2016 | Bartels | A63H 33/04 446/92 |
| 2018/0134476 | A1 * | 5/2018 | Rosenzweig | B32B 27/10 |
| 2019/0275285 | A1 * | 9/2019 | Delp | A61M 21/02 |
| 2020/0193860 | A1 * | 6/2020 | Swartz | A61M 21/02 |

FOREIGN PATENT DOCUMENTS

| | | | |
|----|----------------|---|--------|
| EM | 008463848-0006 | * | 3/2021 |
| EM | 008505606-0001 | * | 4/2021 |
| EM | 008522569-0001 | * | 5/2021 |
| JP | D1664000 | * | 7/2020 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8