



US00D952785S

(12) **United States Design Patent**
Bao

(10) **Patent No.:** **US D952,785 S**

(45) **Date of Patent:** **** May 24, 2022**

(54) **CONNECTOR DEVICE FOR A TENT**
(71) Applicant: **ZHEJIANG NINE BULLS CRAFTS CO., LTD**, Zhejiang (CN)
(72) Inventor: **Pan Bao**, Zhejiang (CN)
(73) Assignee: **ZHEJIANG NINE BULLS CRAFT CO., LTD**, Zhejiang (CN)
(**) Term: **15 Years**

9,260,881 B2 * 2/2016 Lamke E04H 15/48
D823,668 S * 7/2018 Macdonald D8/349
D826,692 S * 8/2018 Macdonald D8/349
2007/0017564 A1 * 1/2007 Lah E04H 15/42
135/120.3
2012/0291831 A1 * 11/2012 Zhou E04H 15/42
135/123
2014/0202511 A1 * 7/2014 Choi E04H 15/32
135/120.3
2018/0125184 A1 * 5/2018 Song E04H 15/44
2018/0209167 A1 * 7/2018 Yang E04H 15/48
2022/0064981 A1 * 3/2022 He E04H 15/48

* cited by examiner

(21) Appl. No.: **29/682,476**

(22) Filed: **Mar. 5, 2019**

(30) **Foreign Application Priority Data**

Nov. 18, 2018 (CN) 201830654663.4

(51) **LOC (13) Cl.** **21-04**

(52) **U.S. Cl.**
USPC **D21/839**

(58) **Field of Classification Search**
USPC D21/834-839; D8/396
CPC E04H 15/00; E04H 15/001; E04H 15/003;
E04H 15/18; E04H 15/34; E04H 15/36;
E04H 15/40; E04H 15/405; E04H 15/425;
E04H 15/44; E04H 15/48
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,424,178 A * 1/1969 Yoshimi E04B 1/34326
135/160
4,981,387 A * 1/1991 Younjae E04H 15/36
403/174
D454,609 S * 3/2002 Meyerhoffer D21/839
D533,914 S * 12/2006 Diaz D21/839

Primary Examiner — Cynthia M. Chin

(74) *Attorney, Agent, or Firm* — NZ Carr Law Office
PLLC


(57) **CLAIM**

The ornamental design for a connector device for a tent, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an embodiment of the connector device for a tent according to the present design;
FIG. 2 is a back view of the connector device for a tent of FIG. 1;
FIG. 3 is a top view of the connector device for a tent of FIG. 1;
FIG. 4 is a bottom view of the connector device for a tent of Figure 1;
FIG. 5 is a right view of the connector device for a tent of FIG. 1;
FIG. 6 is a left view of the connector device for a tent of FIG. 1; and,
FIG. 7 is a perspective view of the connector device for a tent of FIG. 1.

1 Claim, 7 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7