



(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D952,967 S**
(45) **Date of Patent:** **** May 24, 2022**

(54) **TRANSMITTER FOR DOG TRAINING COLLAR**

(71) Applicant: **Shenzhen Patpet Technology CO., LTD**, Shenzhen (CN)

(72) Inventor: **Linxian Li**, Beijing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/697,575**

(22) Filed: **Jul. 9, 2019**

(51) **LOC (13) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/199; D10/104.1**

(58) **Field of Classification Search**
USPC D30/144, 151, 152, 153, 155, 156, 199;
D10/104.1, 104.2, 105, 116.1; D14/137,
D14/188; 119/712, 714, 716, 717, 718,
119/719, 720, 722
CPC A01K 15/02; A01K 15/022
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D630,388 S	*	1/2011	Lai		D30/199
D721,861 S	*	1/2015	Guo		D30/199
D736,486 S	*	8/2015	Goetzl		D30/199
D805,701 S	*	12/2017	Li		D30/199
D815,372 S	*	4/2018	Goetzl		D30/199
D856,307 S	*	8/2019	Maeda		D14/218
D862,421 S	*	10/2019	Arimoto		D14/218
D883,829 S	*	5/2020	Nytke		D10/104.1
D919,905 S	*	5/2021	Wang		D30/199
D930,294 S	*	9/2021	Jia		D30/199
D931,557 S	*	9/2021	Xie		D30/199
D933,036 S	*	10/2021	Hong		D14/137
D935,112 S	*	11/2021	Guo		D30/199

FOREIGN PATENT DOCUMENTS

CN	305552664	*	1/2020
CN	306656579	*	7/2021

OTHER PUBLICATIONS

“Bousnic Dog Shock Collar” available Oct. 10, 2020, [online], [site visited May 10, 2021]. Retrieved from Internet, URL: https://www.amazon.com/Bousnic-Dog-Shock-Collar-Dogs/dp/B08KZZ81XB/ref=sr_1_45_sspa (Year: 2020).*

“Dog Shock Collar” available May 12, 2020, [online], [site visited May 10, 2021]. Retrieved from Internet, URL: <https://www.amazon.com/dp/B088GTQ6ZP?tag=productsmansion-20> (Year: 2020).*

“Bousnic Dog Training Collar with Remote” available Jan. 8, 2020, [online], [site visited May 10, 2021]. Retrieved from Internet, URL: <https://www.youtube.com/watch?v=sZWb9Wxj8rE> (Year: 2020).*

* cited by examiner

Primary Examiner — Michael C Stout

Assistant Examiner — Katrina N Gonzalez

(57) **CLAIM**

The ornamental design for a transmitter for dog training collar, as shown and described.

DESCRIPTION

FIG. 1 is a top right perspective of a transmitter for dog training collar showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines in the drawings depict portions of the transmitter for dog training collar that form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7