



US00D953121S

(12) **United States Design Patent** (10) **Patent No.:** **US D953,121 S**
Wu (45) **Date of Patent:** **** May 31, 2022**

(54) **HEAT PRESERVATION CONTAINER**
(71) Applicant: **Qiaoli Wu**, Guangzhou (CN)
(72) Inventor: **Qiaoli Wu**, Guangzhou (CN)
(**) Term: **15 Years**
(21) Appl. No.: **29/736,278**
(22) Filed: **May 29, 2020**
(51) **LOC (13) Cl.** **07-07**
(52) **U.S. Cl.**
USPC **D7/605**
(58) **Field of Classification Search**
USPC D7/300, 313, 316, 392.1, 392.2, 504,
D7/507, 509, 510, 511, 532, 533, 536,
D7/601, 602, 605, 608, 619; D9/500,
D9/502, 516, 528, 531, 538, 539, 540,
D9/549, 575
CPC A45F 3/16; A45F 2200/0583; A47G
19/2205; A47G 23/16; A47G 19/2272;
A47G 19/2288; A47G 19/23; B65D
1/265; B65D 3/22; B65D 81/3453; B65D
81/3865
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D441,998 S * 5/2001 Kauzlarich D32/30
D474,377 S * 5/2003 Holsinger D9/551
D583,200 S * 12/2008 Moran D7/629
D641,591 S * 7/2011 Tsukida A47J 41/0072
D7/608
D643,694 S * 8/2011 Lu D9/504
D651,050 S * 12/2011 Goshi D7/629
D660,084 S * 5/2012 Gilbert D7/510
D685,232 S * 7/2013 Lane D7/629
D736,563 S * 8/2015 George D7/510
D828,165 S * 9/2018 Haughton D9/503
D845,074 S * 4/2019 Gluck D7/532
D852,002 S * 6/2019 Hsiao D7/624.2

D858,198 S * 9/2019 Hsu D9/504
D878,163 S * 3/2020 Rane D7/630
D888,509 S * 6/2020 Rane D7/630
D889,973 S * 7/2020 Burns D9/549
D899,874 S * 10/2020 Lane D9/569
D901,985 S * 11/2020 Jackson D7/603
D911,783 S * 3/2021 Wahl D7/601
D920,793 S * 6/2021 Hawry D9/503
D927,940 S * 8/2021 Callinan D7/510
D931,063 S * 9/2021 Miksovsky D7/629
D935,282 S * 11/2021 Jackson A47J 41/0072
D7/624.2
2014/0231419 A1* 8/2014 Vadlamani B65D 81/3453
219/728

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306008733 * 8/2020
Primary Examiner — Joseph Kukella
Assistant Examiner — Darryl J Dardenne


(57) **CLAIM**

The ornamental design for a heat preservation container, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a heat preservation container showing my new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof; and,
FIG. 9 is an exploded view of the claimed design.
The broken lines shown in the drawings depict portions of the heat preservation container in which the design is embodied that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2018/0162582 A1* 6/2018 Deylamian B65D 41/0471

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9