



US00D953380S

(12) **United States Design Patent** (10) **Patent No.:** **US D953,380 S**  
**Nam** (45) **Date of Patent:** **\*\* May 31, 2022**

(54) **RUBBER TRACK**  
(71) Applicant: **DRB INDUSTRIAL CO., LTD**, Busan (KR)  
(72) Inventor: **Yoontae Nam**, Busan (KR)  
(73) Assignee: **DRB INDUSTRIAL CO., LTD**, Busan (KR)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/767,688**

D724,628 S \* 3/2015 Tateishi ..... D15/28  
D738,405 S \* 9/2015 Meyer ..... D15/28  
D768,033 S \* 10/2016 Degtyarev ..... D12/7  
D821,453 S \* 6/2018 Nagamoto ..... D15/28  
D827,679 S \* 9/2018 Choi ..... D15/28  
D827,680 S \* 9/2018 Choi ..... D15/28  
D827,681 S \* 9/2018 Choi ..... D15/28  
D881,752 S \* 4/2020 Degtyarev ..... D12/7  
D887,896 S \* 6/2020 Degtyarev ..... D12/7  
D902,963 S \* 11/2020 Wood ..... D15/28  
D906,879 S \* 1/2021 Dandurand ..... D12/7  
D912,104 S \* 3/2021 Cho ..... D15/28  
D926,231 S \* 7/2021 Nam ..... D15/28  
D926,232 S \* 7/2021 Nam ..... D15/28  
2017/0210436 A1\* 7/2017 Brazier ..... B62D 55/10

(22) Filed: **Jan. 25, 2021**  
(51) **LOC (13) Cl.** ..... **15-03**  
(52) **U.S. Cl.**  
USPC ..... **D15/28**  
(58) **Field of Classification Search**  
USPC ..... D15/10, 22-26, 28; D12/500, 572,  
D12/533-567, 579, 7  
CPC ..... B62D 55/04; B62D 55/084; B62D 55/14;  
B62D 55/02; B62D 55/125; B62D 55/08;  
B62D 55/00; B62D 55/244; B62D 55/07;  
B62D 55/24; B62D 55/26; B62D 55/18;  
B60C 11/00; B60C 11/0302; B60C  
11/0306; B60C 11/0311; B60C 11/0313  
See application file for complete search history.

\* cited by examiner


*Primary Examiner* — Mark A Goodwin  
(74) *Attorney, Agent, or Firm* — Novick, Kim & Lee, PLLC; Jae Youn Kim; Hyun Woo Shin

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D549,741 S \* 8/2007 Tateishi ..... D15/28  
D615,105 S \* 5/2010 Abiko ..... D15/28  
D615,106 S \* 5/2010 Shimozono ..... D15/28  
D618,254 S \* 6/2010 Shimozono ..... D15/28  
D626,973 S \* 11/2010 Shimozono ..... D15/28  
D636,793 S \* 4/2011 Vladimirovich ..... D15/28  
D637,626 S \* 5/2011 Vladimirovich ..... D15/28  
D672,792 S \* 12/2012 Nomizo ..... D15/28  
D694,283 S \* 11/2013 Shimozono ..... D15/28  
D723,070 S \* 2/2015 Sugihara ..... D15/28

(57) **CLAIM**  
I claim the ornamental design for a rubber track, as shown and described.

**DESCRIPTION**  
FIG. 1 is a front perspective view of a rubber track, showing my new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a rear elevation view thereof;  
FIG. 4 is a left side elevation view thereof;  
FIG. 5 is a right side elevation view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof; and,  
FIG. 8 is a rear perspective view thereof.  
One exemplary use of the rubber track embodying the ornamental design shown and described herein is for use in a construction equipment or machine in which one or more of the rubber track forms a continuous loop.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2







FIG. 3



**FIG. 4**






FIG. 5



**FIG. 6**



**FIG. 7**




FIG. 8