



US00D953742S

(12) **United States Design Patent** (10) **Patent No.:** **US D953,742 S**
Deng (45) **Date of Patent:** **** Jun. 7, 2022**

(54) **LANYARD LENGTH ADJUSTER**
(71) Applicant: **Haishan Deng**, Katy, TX (US)
(72) Inventor: **Haishan Deng**, Katy, TX (US)
(73) Assignee: **GOVO, LLC**, Katy, TX (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/695,983**
(22) Filed: **Jun. 24, 2019**
(51) **LOC (13) Cl.** **03-01**
(52) **U.S. Cl.**
USPC **D3/318**; D11/200
(58) **Field of Classification Search**
USPC D3/215, 318, 324, 607, 207, 327;
D8/349, 354, 356, 382, 383, 396;
D2/627-638, 639; D10/200, 201, 202,
D10/203, 204, 206, 212, 216, 218, 220,
D10/229, 230, 231, 232, 233, 234, 237,
D10/238, 239; D11/8, 7, 18, 3, 87, 200,
D11/201, 202, 203, 204, 206, 212, 216,
D11/218, 220, 229, 230, 231, 232, 233,
D11/234, 237, 238, 239; D16/339
CPC A41D 25/008; G02C 3/003; F16G 11/101;
F16G 11/106; F16G 11/10; F16G 11/14;
A43C 7/00; A44B 6/00; A44B 11/001;
A44B 11/006; A45F 2005/00; A45F
2200/055
See application file for complete search history.

D669,115 S * 10/2012 Kalbach D16/339
D679,218 S * 4/2013 Kalbach D11/200
D741,213 S * 10/2015 Moreau D11/87
(Continued)

FOREIGN PATENT DOCUMENTS

CN 306301534 * 1/2021

OTHER PUBLICATIONS

Facebook GOVO Products Photo, Jun. 26, 2019, [online], [site visited Feb. 9, 2021]. Retrieved from url:https://www.facebook.com/GOVOPRODUCTS/photos/a.116666305585591/350718135513739/?type=3&theater (Year: 2019).*

Primary Examiner — Wendy L Arminio
Assistant Examiner — Tracey J Bell
(74) *Attorney, Agent, or Firm* — George Guosheng Wang;
United States Research and Patent Firm

(57) **CLAIM**

The ornamental design for a lanyard length adjuster, as shown and described.

DESCRIPTION


FIG. 1 is a top, left and front perspective view of a lanyard length adjuster embodying my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right elevational view thereof, the left elevational view being a mirror image thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a top, left and front perspective view with environment thereof.

The broken lines shown in the figures that are immediately adjacent to the shaded areas and define unshaded regions represent the bounds of the claim. All other broken lines are directed to environment. The broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D158,555 S * 5/1950 Chernow D11/8
D161,905 S * 2/1951 Chernow D11/8
D382,503 S * 8/1997 Kalbach D11/7
D424,924 S * 5/2000 Ackerman D8/396
D426,063 S * 6/2000 Hicks D3/318
D437,485 S * 2/2001 Hicks D3/318
D467,416 S * 12/2002 Kalbach D3/215



(56)

References Cited

U.S. PATENT DOCUMENTS

D743,691 S * 11/2015 Romano D3/318
D758,175 S * 6/2016 Symons D8/383

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7