



US00D953934S

(12) **United States Design Patent**
Thompson

(10) **Patent No.:** **US D953,934 S**
(45) **Date of Patent:** **** Jun. 7, 2022**

- (54) **BUNK PAD**
- (71) Applicant: **BASTA IP INC.**, Bellevue, WA (US)
- (72) Inventor: **Gene Thompson**, Bellevue, WA (US)
- (73) Assignee: **BASTA IP INC.**, Bellevue, WA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/719,138**
- (22) Filed: **Dec. 31, 2019**
- (51) **LOC (13) Cl.** **12-10**
- (52) **U.S. Cl.**
USPC **D12/106**
- (58) **Field of Classification Search**
USPC D12/106, 162, 203, 317, 318; D6/601
CPC B63C 3/00; B63C 3/02; B63C 3/06; B63C
3/12; B63C 5/02; B63C 2005/025; B32B
2307/58; B32B 2307/536; B32B
2307/582; B32B 2307/746; B32B 3/30;
B32B 2605/12; B62D 63/08; B62D
63/062; B62D 33/02; B60P 3/1033; B60P
3/1066; B60R 9/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,203,563 A * 8/1965 Blatchford B60P 3/1033
414/531
- 3,540,606 A * 11/1970 Johnson B60P 3/1066
414/531
- 5,060,963 A * 10/1991 Godbersen B60P 3/1066
280/414.1
- 5,133,570 A * 7/1992 Godbersen B60P 3/1066
248/185.1
- D422,535 S * 4/2000 Thompson D12/106
- 6,247,719 B1 * 6/2001 Youmans B60P 3/1066
280/414.1
- D484,086 S * 12/2003 Davidson D12/318

- D484,450 S * 12/2003 Davidson D12/317
- D487,423 S * 3/2004 Davidson D12/318
- D616,035 S * 5/2010 Kosir D20/44
- D701,484 S * 3/2014 Vaughn D12/317
- 9,446,824 B2 * 9/2016 Swart B60R 9/08
- 9,771,013 B1 * 9/2017 Delanghe B32B 3/30
- D802,517 S * 11/2017 Shumway D12/317
- 2003/0042704 A1 * 3/2003 Higginson B60P 3/1066
280/414.1
- 2004/0126185 A1 * 7/2004 Davidson B63C 3/06
405/7
- 2007/0001086 A1 * 1/2007 Vonderahe F16F 1/373
248/687
- 2007/0045984 A1 * 3/2007 Remedios B60P 3/1066
280/414.1
- 2007/0170692 A1 * 7/2007 MacKarvich B60P 3/1066
280/414.1
- 2010/0189502 A1 * 7/2010 Basta B66F 7/08
405/3

(Continued)

Primary Examiner — Cary M Robinson

Assistant Examiner — Adam C Mager

(74) *Attorney, Agent, or Firm* — Seed IP Law Group LLP

(57) **CLAIM**

The ornamental design for a bunk pad, substantially as shown and described.

DESCRIPTION

FIG. 1 is an upper right front perspective view of a bunk pad showing my new design.

FIG. 2 is a left side elevational view thereof.

FIG. 3 is a right side elevational view thereof.

FIG. 4 is a top plan view thereof.


FIG. 5 is a bottom plan view thereof.

FIG. 6 is a front elevational view thereof; and,

FIG. 7 is a rear elevational view thereof.

The broken lines in the drawings indicate the appearance of any portion of the bunk pad between the break lines and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0377045 A1* 12/2014 Harms, Jr. B60P 3/1066
414/537
2015/0158566 A1* 6/2015 Doig B29C 48/15
405/7
2019/0071157 A1* 3/2019 Hewitt B63C 3/06
2019/0152571 A1* 5/2019 Golden B63C 3/12

* cited by examiner




FIG. 1







FIG. 2







FIG. 3







FIG. 4







FIG. 5




FIG. 6




FIG. 7