



US00D954008S

(12) **United States Design Patent** (10) **Patent No.:** **US D954,008 S**
Su (45) **Date of Patent:** **** Jun. 7, 2022**

(54) **VIDEOCONFERENCING UNIT**

(56) **References Cited**

(71) Applicant: **YEALINK (XIAMEN) NETWORK TECHNOLOGY CO., LTD.**, Fujian (CN)

U.S. PATENT DOCUMENTS

D674,430 S * 1/2013 Inoue D16/218
D744,573 S * 12/2015 Matsumiya D16/218

(72) Inventor: **Jingfeng Su**, Fujian (CN)

(Continued)

(73) Assignee: **YEALINK (XIAMEN) NETWORK TECHNOLOGY CO., LTD.**, Xiamen (CN)

FOREIGN PATENT DOCUMENTS

EM 007792767-0008 * 4/2020
GB 9007792767-0008 * 4/2020

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/732,809**

“Yeahlink MeetingEye600 . . .”, first available Aug. 7, 2020, yealink.com, [online], [site visited Feb. 24, 2022], Available from internet URL: <https://www.yealink.com/product/video-conferencing-solutions-meetingeye600> (Year: 2020).*

(22) Filed: **Apr. 28, 2020**

(30) **Foreign Application Priority Data**

Mar. 27, 2020 (CN) 202030112473.7

Primary Examiner — Christian P. McLean
Assistant Examiner — Kourosch Taie-Tehrani

(51) **LOC (13) Cl.** **14-03**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D14/125; D16/202**

The ornamental design for a videoconferencing unit, as shown and described.


(58) **Field of Classification Search**
USPC D14/125–134, 136, 239, 371, 374–377, D14/440; D16/200–204, 208, 218, 219; D12/187–189, 400; D21/329, 331, 333, D21/433, 448, 452, 450, 505, 515, 577, D21/622; D10/15, 26; D6/300, 477, D6/479; 348/87, 104, 133, 143, 148, 348/151, 156, 168, 173, 180, 184, 325, 348/360, 373–376, 465, 739, 836, 838, 348/917–924; 396/419, 427–429, 433, 396/529, 535, 537–541; 340/932.2, 933, 340/937; 312/7.2; 345/87, 104, 133, 345/156, 168, 173; 446/175, 356, 484
CPC G03B 15/03; G03B 17/02; G03B 17/04; G03B 17/48; G03B 17/56; G03B 19/04; G08G 1/0175; H04N 5/2251; H04N 5/2252; H04N 5/2253; H04N 5/2254

See application file for complete search history.

DESCRIPTION

FIG. 1 is a front elevational view of a videoconferencing unit showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top, front and right side perspective view thereof;
and,
FIG. 8 is a bottom, rear and left side perspective view thereof.
The broken lines in the drawings illustrate portions of the videoconferencing unit which form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D745,586 S * 12/2015 Chou D16/202
D803,174 S * 11/2017 Coffey D14/125
D803,805 S * 11/2017 Coffey D16/208
D827,596 S * 9/2018 Hou D14/125
D849,086 S * 5/2019 Russo D16/202
D865,839 S * 11/2019 Hasegawa D16/203
D907,595 S * 1/2021 Duys D14/125
D924,299 S * 7/2021 Gartrell D16/202
D924,959 S * 7/2021 Gartrell D16/202
D932,534 S * 10/2021 Su D14/125
D940,776 S * 1/2022 Gartrell D16/202
D940,777 S * 1/2022 Gartrell D16/202
2016/0165116 A1 * 6/2016 Robinson H04N 5/2353
348/362
2021/0132467 A1 * 5/2021 Okunami G01R 33/0047

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8