



US00D954155S

(12) **United States Design Patent** (10) **Patent No.:** **US D954,155 S**
Manovi et al. (45) **Date of Patent:** **** Jun. 7, 2022**

(54) **SPINNING TOY**

(71) Applicant: **LEGO A/S**, Billund (DK)

(72) Inventors: **Cerim Manovi**, Flensburg (DE); **Aske Klejnstrup Garling**, Vejle (DK);
Leonardo Francisco Lopez, Billund (DK); **Jaime Sanchez Potter**, Billund (DK)

(73) Assignee: **LEGO A/S**, Billund (DK)

(**) Term: **15 Years**

(21) Appl. No.: **29/698,993**

(22) Filed: **Jul. 22, 2019**

(30) **Foreign Application Priority Data**

Jan. 29, 2019 (DK) DA 2019 00006

(51) **LOC (13) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/460**

(58) **Field of Classification Search**
USPC D21/365, 374, 385, 455, 459, 460, 461,
D21/471, 473, 493, 503; D23/366, 367;
D26/4-8, 14-16, 23, 26, 32, 127;
D11/117; D2/873; D30/124, 125
CPC A63H 1/00-32; A63F 9/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,281,866	A	10/1918	Stahl	
D488,856	S *	4/2004	Millan	D23/366
D522,119	S *	5/2006	Baraky	D23/366
D542,428	S *	5/2007	Wagenknecht	D26/9
D569,301	S *	5/2008	Fotherby	D11/117
D608,842	S *	1/2010	Nishimoto	D21/460
D657,040	S *	4/2012	Young	D23/367
D818,102	S *	5/2018	Li	D23/366

D825,732	S *	8/2018	Gobber	D23/367
D827,042	S *	8/2018	Weissman	D21/455
D834,170	S *	11/2018	Gobber	D23/367
D854,095	S *	7/2019	Narita	D21/460
D857,113	S *	8/2019	Fontaine	D21/496
D866,677	S *	11/2019	Horikoshi	D21/460

(Continued)

FOREIGN PATENT DOCUMENTS

GB	223834	A	10/1924
WO	2011057636	A1	5/2011

OTHER PUBLICATIONS

The International Search Report and the Written Opinion of the International Searching Authority issued in related International application No. PCT/EP2019/060797, dated Jun. 17, 2019.

Primary Examiner — Mehri F Bajoul

(74) *Attorney, Agent, or Firm* — Day Pitney LLP;
Anthony A. Kassas


(57) **CLAIM**

The ornamental design for a spinning toy, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the spinning toy;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left elevational view thereof;
FIG. 4 is a right elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front cross-sectional view taken along the line 7-7 in FIG. 5;
FIG. 8 is a side cross-sectional view taken along the line 8-8 in FIG. 5;
FIG. 9 is a front perspective view of FIG. 1;
FIG. 10 is a side perspective view thereof; and,
FIG. 11 is a top perspective view thereof.

1 Claim, 11 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D887,499	S	*	6/2020	Manovi	D21/493
D891,528	S	*	7/2020	Hama	D21/460
D895,477	S	*	9/2020	Fu	D11/117
D895,478	S	*	9/2020	Fu	D11/117
2017/0340978	A1		11/2017	Capusotto	
2018/0229110	A1	*	8/2018	Muraki	A63H 1/00
2020/0269146	A1	*	8/2020	Muraki	A63H 1/02
2020/0269147	A1	*	8/2020	Muraki	A63H 1/02

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11