



US00D954329S

(12) **United States Design Patent** (10) **Patent No.:** **US D954,329 S**
Song et al. (45) **Date of Patent:** **** Jun. 7, 2022**

(54) **DOME LIGHT**
(71) Applicant: **Excelitas Canada, Inc.**, Mississauga (CA)
(72) Inventors: **Yu Song**, Mississauga (CA); **Bounna (Kevin) Wang**, Mississauga (CA); **Yong Wang**, Mississauga (CA); **Roy Luo**, Mississauga (CA)
(73) Assignee: **Excelitas Canada, Inc.**, Mississauga (CA)

D136,162 S 8/1943 Lee
D192,099 S * 1/1962 Bordinat, Jr. D26/36
D223,954 S * 6/1972 Nagel D26/123
D370,550 S 6/1996 Lecluze
D389,269 S 1/1998 Porter
D400,292 S 10/1998 Hoffbauer
D419,716 S 1/2000 Parrochia
D463,590 S * 9/2002 Huang D26/36
D473,009 S * 4/2003 Jarrett D26/123
D544,640 S * 6/2007 Sase D26/123
D608,493 S * 1/2010 Zaderej D26/123
D707,877 S 6/2014 Turner
D720,878 S 1/2015 Yu

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/775,878**

WO DM/204374 7/2019
WO RGN_D204374-001 * 1/2020

(22) Filed: **Mar. 25, 2021**

Related U.S. Application Data

Primary Examiner — Richard Kearney

(62) Division of application No. 35/508,467, filed on Jul. 26, 2019 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Jul. 26, 2019, now Pat. No. Des. 925,812.

(74) *Attorney, Agent, or Firm* — Peter A. Nieves; Sheehan Phinney Bass & Green PA

(30) **Foreign Application Priority Data**

Jul. 26, 2019 (WO) DM/204374

(57) **CLAIM**

(51) **LOC (13) Cl.** **26-05**

The ornamental design for a dome light, as shown and described.

(52) **U.S. Cl.**
USPC **D26/72; D26/74; D26/123**

(58) **Field of Classification Search**
USPC D26/36, 72, 85, 88, 118, 113, 120–124
CPC F21S 8/00; F21S 8/02; F21S 8/04; F21S 8/026; B60Q 3/43
See application file for complete search history.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

251,711 A * 1/1882 Goldsmith F21V 7/24 362/341
1,253,813 A * 1/1918 Gray F21V 7/04 362/348

FIG. 1 is a front perspective view of a dome light. FIG. 2 is a front view of the dome light of FIG. 1. FIG. 3 is a back view of the dome light of FIG. 1. FIG. 4 is a top view of the dome light of FIG. 1. FIG. 5 is a bottom view of the dome light of FIG. 1. FIG. 6 is a left side view of the dome light of FIG. 1; and, FIG. 7 is a right side view of the dome light of FIG. 1. The broken lines shown in the drawings illustrate portions of the article and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D725,818 S 3/2015 Yao et al.
D748,848 S 2/2016 Laukkanen
D806,308 S * 12/2017 Pattekar F21K 9/232
D26/121
D812,805 S 3/2018 Bendtsen
D869,738 S 12/2019 Cheng
D894,472 S 8/2020 Boerup
D925,812 S * 7/2021 Luo D26/123
2011/0280023 A1 * 11/2011 Lee F21V 5/04
362/338
2013/0135854 A1 * 5/2013 Huang F21K 9/00
362/231
2015/0204520 A1 7/2015 Pearson
2015/0276199 A1 * 10/2015 Zanolta F21S 8/024
362/294
2020/0386376 A1 12/2020 Zeng

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7