



US00D954425S

(12) **United States Design Patent**
Savioli

(10) **Patent No.:** **US D954,425 S**
(45) **Date of Patent:** **** Jun. 14, 2022**

(54) **CANE GRIP**

(71) Applicant: **VIVE HEALTH LLC**, Naples, FL (US)

(72) Inventor: **Guy Savioli**, Naples, FL (US)

(73) Assignee: **Vive Health LLC**, Naples, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/719,780**

(22) Filed: **Jan. 7, 2020**

(51) **LOC (13) Cl.** **03-03**

(52) **U.S. Cl.**
USPC **D3/12**

(58) **Field of Classification Search**
USPC D3/5-10, 12, 13, 16; D8/303, 307, 313, D8/315; D12/128, 129, 130, 131, 133
CPC .. B62B 5/06; B62B 9/085; B62B 9/20; B62K 21/26; B62K 11/14; B62K 23/02; A45B 9/02; A45B 9/00; A45B 2009/025; A61H 3/04; A61H 3/06; Y10T 74/20828; Y10T 74/2087; Y10T 74/2078; A63C 11/222; A61G 5/10; A61G 5/1051

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D258,096 S * 2/1981 Barfod D3/8
4,700,730 A * 10/1987 Samuelson A61H 3/04
135/67

D300,506 S * 4/1989 Pedone D8/303
5,063,762 A * 11/1991 Vandeweghe A63C 11/222
70/30

D353,484 S * 12/1994 Miller D3/5
5,979,015 A * 11/1999 Tamaribuchi A63C 11/22
16/110.1

6,139,060 A * 10/2000 Lenhart A45B 9/02
280/821

6,142,527 A * 11/2000 Lenhart A45B 9/00
135/74

D439,625 S * 3/2001 Tamaribuchi D12/133
6,409,611 B1 * 6/2002 Louk, Jr. A45B 9/02
473/286

D459,645 S * 7/2002 Rothfus D8/303
6,502,862 B1 * 1/2003 Lenhart A45B 9/02
280/821

D471,702 S * 3/2003 You 3/12
6,851,437 B1 * 2/2005 Lenhart A63C 11/222
135/72

D540,028 S * 4/2007 You A61H 3/04
D3/16

D590,146 S * 4/2009 You D3/12
7,540,296 B2 * 6/2009 Meyers A45B 9/02
135/76

D621,602 S * 8/2010 White A63C 11/222
D3/12

(Continued)

Primary Examiner — Steven J Czyz
(74) *Attorney, Agent, or Firm* — Workman Nydegger


(57) **CLAIM**

The ornamental design for a cane grip, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a cane grip showing our new design; FIG. 2 is a rear perspective view of the cane grip, shown with the cane portion removed for clarity of disclosure; FIG. 3 is an exploded front perspective view thereof; FIG. 4 is another rear perspective view of the cane grip; FIG. 5 is a bottom view of the cane grip, shown with the strap and cane portions removed for clarity of disclosure; FIG. 6 is a top view thereof; FIG. 7 is a right side view thereof; and, FIG. 8 is a left side view thereof. The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D632,069 S * 2/2011 Thiessens A63C 11/22
D3/7
D665,991 S * 8/2012 Slayton A63C 11/222
D3/7
D693,113 S * 11/2013 Pearson A45B 9/02
D3/12
8,915,522 B2 * 12/2014 Roiser A63C 11/222
280/821
D723,791 S * 3/2015 Headley A45B 1/04
D3/12
9,027,206 B2 * 5/2015 Guyoton A63C 11/222
16/430
D783,267 S * 4/2017 Birnbaum A45B 9/00
D3/12
9,675,515 B2 * 6/2017 Chou A61H 3/00
D882,371 S * 4/2020 Clark A63C 11/222
D8/303
D883,653 S * 5/2020 Ritter A45B 9/02
D3/9
10,661,959 B2 * 5/2020 Martin A45B 1/04
10,799,154 B2 * 10/2020 Sarkar A45B 9/00
10,856,630 B1 * 12/2020 Hu A45B 9/02
2006/0087139 A1 * 4/2006 Ayres A45F 5/1026
294/137

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8