

US00D954538S

(12) **United States Design Patent**
Grossman

(10) **Patent No.:** **US D954,538 S**

(45) **Date of Patent:** **** Jun. 14, 2022**

(54) **CARABINER**

(71) Applicant: **Peter Grossman**, Castle Hill (AU)

(72) Inventor: **Peter Grossman**, Castle Hill (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/812,695**

(22) Filed: **Oct. 24, 2021**

D766,071 S *	9/2016	Spater	D8/356
D767,975 S *	10/2016	Jiang	D8/356
9,521,939 B2 *	12/2016	Haarburger	A47L 13/11
D775,513 S *	1/2017	Kelleghan	D8/356
D784,798 S *	4/2017	Logsdon	D8/394
D785,316 S *	5/2017	Grossman	D3/208
D785,317 S *	5/2017	Grossman	D3/208
9,797,432 B2 *	10/2017	Inkavesvaanit	F16B 45/02
D811,838 S *	3/2018	Enrico	D8/34
D821,090 S *	6/2018	Case	D3/207
D821,854 S *	7/2018	Berman	D8/356

(Continued)

Primary Examiner — Cynthia R Underwood

Related U.S. Application Data

(62) Division of application No. 29/723,624, filed on Feb. 8, 2020, now Pat. No. Des. 944,627.

(51) **LOC (13) Cl.** **09-06**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/356, 354, 105, 349, 367; D3/207;
24/376
CPC B65H 57/16; B63B 21/045; A63B 29/08;
A63B 27/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

582,780 A *	5/1897	Eldridge	F16B 45/02 24/582.11
D577,574 S *	9/2008	Liang	D8/356
D607,712 S *	1/2010	Kelleghan	D8/356
D626,393 S *	11/2010	Ormsbee	D8/34
D637,473 S *	5/2011	Mitchell	D8/336
D646,556 S *	10/2011	Kelleghan	D8/356
D669,764 S *	10/2012	Kelleghan	D8/356
D702,106 S *	4/2014	Weinberg	D8/356
D725,373 S *	3/2015	Jiang	D3/207
D729,513 S *	5/2015	Jiang	D3/207
9,255,602 B2 *	2/2016	Liang	F16B 45/06
D762,460 S *	8/2016	Gobbi	D8/356
D765,493 S *	9/2016	Spater	D8/356

(57) **CLAIM**

The ornamental design of a carabiner, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a carabiner in accordance with the present invention, with the portions shown in broken lines included for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a perspective view of a second embodiment of the carabiner in accordance with the present invention, with the broken lines depicting portions of the carabiner that form no part of the claim.

FIG. 9 is a front view of FIG. 8;

FIG. 10 is a rear view of FIG. 8;


FIG. 11 is a top view of FIG. 8;

FIG. 12 is a bottom view of FIG. 8;

FIG. 13 is a left side view of FIG. 8; and,

FIG. 14 is a right side view of FIG. 8.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D854,916	S *	7/2019	Derr	D8/356
D858,088	S *	9/2019	Osmanski	D3/207
D861,327	S *	10/2019	Osmanski	D3/207
10,499,712	B2 *	12/2019	Cowdery	A44B 19/30
10,514,057	B2 *	12/2019	Cardella	E05B 17/0045
10,624,426	B2 *	4/2020	Adelman	F16B 2/22
D934,662	S *	11/2021	Adelman	D8/356
D934,663	S *	11/2021	Adelman	D8/356
2009/0000086	A1 *	1/2009	Bing	F16B 45/06
					24/592.11
2016/0153487	A1 *	6/2016	Hollinger	F16B 45/02
					24/376

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 6

FIG. 7




FIG. 4




FIG. 5




FIG. 8




FIG. 9




FIG. 10




FIG. 13




FIG. 14




FIG. 11



FIG. 12