



US00D954538S

(12) **United States Design Patent**  
**Grossman**

(10) **Patent No.:** **US D954,538 S**  
(45) **Date of Patent:** **\*\* Jun. 14, 2022**

- (54) **CARABINER**
- (71) Applicant: **Peter Grossman**, Castle Hill (AU)
- (72) Inventor: **Peter Grossman**, Castle Hill (AU)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/812,695**
- (22) Filed: **Oct. 24, 2021**

- D766,071 S \* 9/2016 Spater ..... D8/356
- D767,975 S \* 10/2016 Jiang ..... D8/356
- 9,521,939 B2 \* 12/2016 Haarburger ..... A47L 13/11
- D775,513 S \* 1/2017 Kelleghan ..... D8/356
- D784,798 S \* 4/2017 Logsdon ..... D8/394
- D785,316 S \* 5/2017 Grossman ..... D3/208
- D785,317 S \* 5/2017 Grossman ..... D3/208
- 9,797,432 B2 \* 10/2017 Inkavesvaanit ..... F16B 45/02
- D811,838 S \* 3/2018 Enrico ..... D8/34
- D821,090 S \* 6/2018 Case ..... D3/207
- D821,854 S \* 7/2018 Berman ..... D8/356

(Continued)

**Related U.S. Application Data**

- (62) Division of application No. 29/723,624, filed on Feb. 8, 2020, now Pat. No. Des. 944,627.
- (51) **LOC (13) Cl.** ..... **09-06**
- (52) **U.S. Cl.**  
USPC ..... **D8/356**
- (58) **Field of Classification Search**  
USPC ..... D8/356, 354, 105, 349, 367; D3/207;  
24/376  
CPC ..... B65H 57/16; B63B 21/045; A63B 29/08;  
A63B 27/02  
See application file for complete search history.

**References Cited**

**U.S. PATENT DOCUMENTS**

- 582,780 A \* 5/1897 Eldridge ..... F16B 45/02  
24/582.11
- D577,574 S \* 9/2008 Liang ..... D8/356
- D607,712 S \* 1/2010 Kelleghan ..... D8/356
- D626,393 S \* 11/2010 Ormsbee ..... D8/34
- D637,473 S \* 5/2011 Mitchell ..... D8/336
- D646,556 S \* 10/2011 Kelleghan ..... D8/356
- D669,764 S \* 10/2012 Kelleghan ..... D8/356
- D702,106 S \* 4/2014 Weinberg ..... D8/356
- D725,373 S \* 3/2015 Jiang ..... D3/207
- D729,513 S \* 5/2015 Jiang ..... D3/207
- 9,255,602 B2 \* 2/2016 Liang ..... F16B 45/06
- D762,460 S \* 8/2016 Gobbi ..... D8/356
- D765,493 S \* 9/2016 Spater ..... D8/356

Primary Examiner — Cynthia R Underwood

(57) **CLAIM**

The ornamental design of a carabiner, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a carabiner in accordance with the present invention, with the portions shown in broken lines included for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a perspective view of a second embodiment of the carabiner in accordance with the present invention, with the broken lines depicting portions of the carabiner that form no part of the claim.

FIG. 9 is a front view of FIG. 8;

FIG. 10 is a rear view of FIG. 8;


FIG. 11 is a top view of FIG. 8;

FIG. 12 is a bottom view of FIG. 8;

FIG. 13 is a left side view of FIG. 8; and,

FIG. 14 is a right side view of FIG. 8.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D854,916	S *	7/2019	Derr .....	D8/356
D858,088	S *	9/2019	Osmanski .....	D3/207
D861,327	S *	10/2019	Osmanski .....	D3/207
10,499,712	B2 *	12/2019	Cowdery .....	A44B 19/30
10,514,057	B2 *	12/2019	Cardella .....	E05B 17/0045
10,624,426	B2 *	4/2020	Adelman .....	F16B 2/22
D934,662	S *	11/2021	Adelman .....	D8/356
D934,663	S *	11/2021	Adelman .....	D8/356
2009/0000086	A1 *	1/2009	Bing .....	F16B 45/06 24/592.11
2016/0153487	A1 *	6/2016	Hollinger .....	F16B 45/02 24/376

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 7




FIG. 4




FIG. 5




FIG. 8




FIG. 9




FIG. 10




FIG. 13




FIG. 14




FIG. 11




FIG. 12