



US00D954569S

(12) **United States Design Patent**
Rundberg

(10) **Patent No.:** **US D954,569 S**

(45) **Date of Patent:** **** Jun. 14, 2022**

(54) **SENSOR FOR A MONITORING OR ALARM SYSTEM**

(71) Applicant: **Life Finder Systems International AB,**
Lund (SE)

(72) Inventor: **Sten Rundberg,** Malmö (SE)

(73) Assignee: **Life Finder Systems International AB,**
Lund (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/744,086**

(22) Filed: **Jul. 27, 2020**

(30) **Foreign Application Priority Data**

Jan. 27, 2020 (EM) 007559000

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/53**

(58) **Field of Classification Search**
USPC D10/46, 50, 52, 53, 56, 70, 96, 101,
D10/104.1–104.2, 106.1, 121
CPC G08B 21/18; G08B 21/182; G08B 21/20;
G08B 3/00; G08B 19/00; G01D 7/00;
G01D 11/24; G01D 11/245; G01F 1/00;
G01N 33/0031
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D584,176 S * 1/2009 Maruyama D10/70
D637,097 S * 5/2011 Tseng D10/70
D665,680 S * 8/2012 Shigeno D10/70
D693,709 S * 11/2013 Lee D10/70
D706,145 S * 6/2014 Pavlak D10/50
D724,972 S * 3/2015 Shigeno D10/70
D734,178 S * 7/2015 Lombard D10/50
D745,420 S * 12/2015 Li D10/50

D746,709 S * 1/2016 Heath D10/104.2
D771,824 S * 11/2016 Minoli D24/187
D782,354 S * 3/2017 Lovin D10/101
D782,926 S * 4/2017 Hojo D10/70
D795,869 S * 8/2017 Templeton D14/385
D797,740 S * 9/2017 Nguyen D14/385
D820,123 S * 6/2018 Chou D10/70
D828,342 S * 9/2018 Chen D14/240
D832,119 S * 10/2018 Choi D10/52

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Lillian Windham

(74) *Attorney, Agent, or Firm* — Dinsmore & Shohl LLP

(57) **CLAIM**

The ornamental design for a sensor for a monitoring or alarm system, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a sensor for a monitoring or alarm system according to a first embodiment of the present invention;

FIG. 2 is a back view of the sensor for a monitoring or alarm system of FIG. 1;

FIG. 3 is a first end view of the sensor for a monitoring or alarm system of FIGS. 1 and 2;

FIG. 4 is a second end view of the sensor for a monitoring or alarm system of FIGS. 1-3;


FIG. 5 is a first side view of the sensor for a monitoring or alarm system of FIGS. 1-4;

FIG. 6 is a second side view of the sensor for a monitoring or alarm system of FIGS. 1-5; and,

FIG. 7 is a perspective view of the sensor for a monitoring or alarm system of FIGS. 1-6.

The broken line portions of the FIGS. illustrate unclaimed elements that form no part of the claimed design. Terms such as “front” and “back” are used for comparing the figures but are not limiting on the orientation of the sensor for a monitoring or alarm system.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D833,893	S	*	11/2018	McKinnon	D10/50
D840,251	S	*	2/2019	Choi	D10/52
D842,154	S	*	3/2019	Dimitriadis	D10/106.2
D843,235	S	*	3/2019	McKinnon	D10/50
D843,239	S	*	3/2019	Read	D10/50
D850,627	S	*	6/2019	Purani	D24/186
D854,433	S	*	7/2019	Vandenbussche	D10/70
D863,990	S	*	10/2019	Hu	D10/52
D864,767	S	*	10/2019	Vandenbussche	D10/70
D876,249	S	*	2/2020	Bee	D10/53
D881,047	S	*	4/2020	Recker	D10/70
D881,827	S	*	4/2020	Chouji	D13/168
D897,227	S	*	9/2020	Xu	D10/101
D902,921	S	*	11/2020	Riot	D14/344
D902,922	S	*	11/2020	Riot	D14/344
D903,664	S	*	12/2020	Riot	D14/344
D909,584	S	*	2/2021	Kalchman	D24/167
D926,062	S	*	7/2021	Konotopskyi	D10/104.1
D932,712	S	*	10/2021	Mott	D30/152
D933,504	S	*	10/2021	Wu	D10/52
D937,061	S	*	11/2021	Gong	D8/52

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7