



US00D954608S

(12) **United States Design Patent** (10) **Patent No.:** **US D954,608 S**
Klakring (45) **Date of Patent:** **** Jun. 14, 2022**

(54) **SUSPENSION LINK FOR A VEHICLE**

(71) Applicant: **MF IP Holding, LLC**, West Jordan, UT (US)
(72) Inventor: **Spencer K. Klakring**, Herriman, UT (US)

(73) Assignee: **MF IP HOLDING, LLC**, West Jordan, UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/747,648**

(22) Filed: **Aug. 24, 2020**

(51) **LOC (13) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/159**

(58) **Field of Classification Search**

USPC D12/159, 160, 161, 400; D21/561
CPC B60G 2200/10; B60G 2200/132; B60G 2200/14; B60G 2200/142; B60G 2200/1422; B60G 2200/1424; B60G 2200/1442; B60G 2200/156; B60G 2200/182; B60G 2200/22; B60G 2200/315; B60G 2200/341; B60G 3/20; B62D 7/20

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,938,822 A * 2/1976 Guerriero B60G 21/0551 280/86.758
D289,277 S * 4/1987 Horberg D12/160
4,887,486 A * 12/1989 Wood, Jr. B60G 7/005 74/588
5,946,980 A * 9/1999 Raza F16C 7/026 74/579 R
6,019,383 A * 2/2000 Kociba B60G 3/20 280/124.134

(Continued)

OTHER PUBLICATIONS

TeraFlex Alpine IR Front Adjustable Track Bar, Published date unavailable [online], [retrieved on Jan. 26, 2022]. Retrieved from the Internet: <https://www.rubitrux.com/teralfex-jl-jlu-alpine-ir-front-adjustable-track-bar-0-6-lift-1753420.html> (Year: 2022).*

(Continued)

Primary Examiner — Cary M Robinson

Assistant Examiner — Adam C Mager

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a suspension link for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a suspension link for a vehicle according to a first representative embodiment of our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof;

FIG. 8 is a perspective view of a suspension link for a vehicle according to a second representative embodiment of our new design;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a top plan view thereof;



FIG. 12 is a bottom plan view thereof;

FIG. 13 is a left side elevational view thereof; and,

FIG. 14 is a right side elevational view thereof.

The broken lines in the drawings show portions of the suspension link for a vehicle that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,244,607	B1 *	6/2001	Nishino	B60G 3/06 280/124.107
6,354,614	B1 *	3/2002	Ham, Jr.	B60K 5/1241 267/293
7,398,984	B2 *	7/2008	Tucker	B60G 7/003 280/124.116
D713,301	S *	9/2014	Haviland	D12/159
D867,474	S *	11/2019	Ewing	D21/561
D894,795	S *	9/2020	Cox	D12/159
2006/0049602	A1 *	3/2006	Ham	B60G 7/006 280/124.109

OTHER PUBLICATIONS

TeraFlex; “JL / JT: HD Forged Adjustable Track Bar—Front (0-6" Lift)”; printed on Oct. 27, 2021; pp. 1-3 located at <https://teraflex.com/jl-jt-hd-forged-adjustable-track-bar-front-0-6-lift.html>.

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 7.




Fig. 6.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 14.




Fig. 13.